Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF 96
IDENTIFICATION NUMBER

COMMANDED BY

LT C.C. REED, U.S.N.

Attached to { ____ Division, ____ Squadron, ____ Flotilla, SERVICE FORCE, U.S. PACIFIC FLEET Fleet, FOURTEENTH Naval District,

Commencing +10 W 1 JUNE, 19 64,
(zone time and date)

at PEARL HARBOR, HAWAII,
(location)

and ending +10 W 30 JUNE, 19 64,
(zone time and date)

at PEARL HARBOR, HAWAII
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR, T. H.

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ , 19 ____

(Day) (Date) (Month)

APPROVED:

EXAMINED:

_____ U. S. N. COMMANDING

_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki CATF-96 ZONE DESCRIPTION +10W DATE Monday (Day) 1 (Date) June (Month), 19 64

AT/~~PASSAGE FROM~~ Johnston Island TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	140	15	10	BKN	2981	80	76	6	2000	St			
02	140	12	10	Sct	2980	80	76	5	2000	St			
03	140	12	10	Sct	2979	80	77	5	2000	St			
04	150	13	10	Sct	2980	80	77	5	2000	St			
05	150	13	10	Sct	2980	80	77	5	1000	St			
06	150	13	10	BKN	2980	80	77	8	1000	St			
07	150	14	10	BKN	2980	80	77	8	2000	St			
08	150	8	10	BKN	2982	84	79	8	2000	St			
09	150	8	10	BKN	2985	84	79	8	2000	St			
10	150	8	10	BKN	2988	84	79	8	2000	St			
11	140	10	10	BKN	2988	85	79	8	2000	St			
12	135	10	10	BKN	2991	85	79	8	2000	St			
13	130	7	10	BKN	2992	86	79	8	2000	St			
14	130	10	10	BKN	2988	80	74	7	2000	St			
15	130	10	10	BKN	2990	81	78	7	2000	St			
16	140	10	10	BKN	2992	81	78	7	2000	St			
17	140	10	10	BKN	2990	80	78	7	2000	St			
18	130	10	10	BKN	2989	80	78	7	2000	St			
19	125	10	10	BKN	2988	81	78	8	2000	St			
20	120	10	10	BKN	2990	81	78	7	2000	St			
21	110	10	10	BKN	2992	81	78	7	2000	St			
22	110	10	10	BKN	2992	80	78	7	2000	St			
23	100	10	10	BKN	2992	80	78	7	2000	St			
24	100	10	10	BKN	2992	80	78	7	2000	St			

POSITION	ZONE	TIME
0800 L IN PORT		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 10

FUEL CONSUMED 0000-2400: 872

REMARKS

00-04 Anchored off Johnston Island in 50 feet of water, sandy coral bottom with 45 fathoms of chain to the port anchor on the following bearings: LORAN Tower 016, control Tower 341, and 332 aero beacon. Material condition Yoke (Modified) is set. Ships present include various harbor and civilian yard craft. SOPA is commanding officer U.S.S. Abnaki.

R S Mason, Stjg, USNR

04-08 Anchored as before. 0730 Mustered the crew on stations Absentees none

R S Mason, Stjg, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) MONDAY (Day) 1 (Date) JUNE (Month) 19 64

Ø8-12 Moored as before. 1Ø25 Made daily inspection of Magazines. Conditions: Normal.

C. P. McKenzie, Ens, USNR

12-16 Moored as before. 142Ø Commenced making preparations for getting underway. 1437 Set the regular underway watch. Captain and Navigator on the bridge. OOD has the Conn. 1445 Underway from anchorage. Maneuvering various courses at various speeds refile blasting coral heads in the approaches to Johnston Island Channel.

C. P. McKenzie, Ens, USNR

16-2Ø Underway as before 17Ø7 Set the special sea and anchor detail. Captain and Navigator on the bridge. Captain has the Conn. Steering various courses at various speeds while standing in Johnston Island Channel. 1715 Passed buoy #2 abeam to stbd. 1720 Passed buoy #4 abeam to stbd. 1727 Passed buoy #13 abeam to stbd. 1736 Moored outboard YFNB 12 at Johnston Island harbor with standard mooring lines. Condition Yoke modified is set. SOPA is Commanding Officer USS Abnaki (ATF-96). Ships present included various yard and small craft.

C. P. McKenzie, Ens, USNR

2Ø-24 Moored as before.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ohnaki ATF 96 ZONE DESCRIPTION +10 DATE Tuesday (Day) 2 (Date) June (Month), 1964

AT/~~PASSAGE FROM~~ Johnston Island TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	100	10	10	Sct	2991	78	74	4	2000	Cu			
02	100	10	10	Sct	2990	80	76	5	2000	Cu			
03	100	10	10	Sct	2988	80	77	5	2000	Cu			
04	100	10	10	BKW	2988	80	77	6	2000	Cu			
05	100	10	10	BKW	2988	80	77	6	2000	Cu			
06	100	10	10	BKW	2988	80	77	6	2000	Cu			
07	105	10	10	BKW	2988	81	77	6	2000	Cu			
08	105	6	10	BKW	2989	81	78	6	2000	Cu			
09	100	6	10	BKW	2989	82	78	6	2000	Cu			
10	115	6	10	BKW	2991	82	78	6	2000	Cu			
11	115	7	10	BKW	2993	84	78	6	2000	Cu			
12	110	7	10	BKW	2993	84	78	6	2000	Cu			
13	120	7	10	BKW	2993	84	78	6	2000	Cu			
14	120	7	10	BKW	2994	84	78	6	2000	Cu			
15	105	7	10	BKW	2995	84	77	7	2000	Cu			
16	105	6	10	BKW	2994	84	77	7	2000	Cu			
17	105	6	10	BKW	2993	83	77	6	2000	Cu			
18	100	6	10	Sct	2992	82	77	5	2000	Cu			
19	105	6	10	Sct	2991	81	77	5	2000	Cu			
20	110	6	10	Sct	2992	81	77	5	2000	Cu			
21	110	6	10	Sct	2993	81	77	5	2000	Cu			
22	120	5	10	Sct	2994	81	77	5	2000	Cu			
23	120	4	10	Sct	2995	81	77	5	2000	Cu			
24	120	3	10	Sct	2994	81	77	5	2000	Cu			

POSITION	ZONE	TIME
0800 L IN PORT	BY	
λ	BY	
1200 L	BY	
λ	BY	
2000 L	BY	
λ	BY	

LEGEND: 1—CELESTIAL 2—ELECTRONIC 3—VISUAL 4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 160

REMARKS

Ø Ø-Ø4 Moored starboard side to YFNB-6 with mooring lines doubled. ~~Condition yoke modified is set.~~ YFNB-6, ~~moored to~~ Navy Pier, Johnston Island Harbor. Condition Yoke modified is set. SOPA is Commanding Officer USS Ohnaki (ATF-96) Ships present include various yard and small craft.

C. P. McKenzie, Ens, USNR

Ø4-Ø8 Moored as before. Ø745 Mustered the crew at quarters. Absentees: none.

C. P. McKenzie, Ens, USNR

APPROVED: CC Reed Lt. U. S. N. COMMANDING

EXAMINED: RS Nason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP AONAKI ATF-96 TUESDAY (Day) 2 (Date) JUNE (Month), 19 64

0800-1200 MOORED AS BEFORE 0937 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

J E Horton
LTJG USN

1200-1600 MOORED AS BEFORE

J E Horton
LTJG USN

1600-2000 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE MODIFIED

J E Horton
LTJG USN

2000-2400 MOORED AS BEFORE.

J E Horton
LTJG USN.

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

D S Nasen, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 3 (Date) JUNE (Month), 19 64

AT/~~PASSAGE FROM~~ JOHNSTON ISLAND TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	120	8	10	BKN	2994	82	78	6	2000	St			
02	125	8	10	BKN	2993	81	76	4	2000	St			
03	125	6	10	BKN	2992	80	76	6	2000	St			
04	125	5	10	Sct	2993	80	75	4	2000	Cu			
05	115	10	10	Sct	2991	80	76	5	2000	Cu			
06	110	10	10	Sct	2991	80	76	4	2000	St			
07	095	10	10	Sct	2991	80	76	3	2000	St			
08	085	8	10	Sct	2990	81	77	3	2000	St			
09	080	16	10	Sct	2991	81	77	3	2000	St			
10	080	15	10	Sct	2991	81	77	4	2000	St			
11	085	15	10	Sct	2991	81	77	4	2000	St			
12	065	18	10	Sct	2990	82	76	4	2000	St			
13	075	10	10	Sct	2989	84	77	5	2000	Cu			
14	075	20	10	Sct	2988	89	77	5	2000	Cu			
15	085	18	10	Sct	2988	84	76	5	2000	Cu			
16	080	15	10	Sct	2986	85	76	5	2000	Cu			
17	070	16	10	Sct	2984	85	75	4	2000	Cu			
18	065	16	10	Sct	2987	85	75	4	2000	Cu			
19	060	17	10	BKN	2989	81	76	5	2000	Cu			
20	050	19	10	BKN	2990	99	76	6	2000	Cu			
21	050	22	10	BKN	2990	98	75	4	2000	Cu			
22	050	24	10	BKN	2990	77	75	7	2000	Cu			
23	060	18	10	BKN	2989	77	75	7	2000	Cu			
24	060	17	10	BKN	2989	77	75	7	2000	Cu			

POSITION	ZONE	TIME
0800 L IN PORT		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 9

FUEL CONSUMED 0000-2400: 1237

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE OUTBOARD OF TOA YFNB-6 AT NAVY PIER, JOHNSTON ISLAND. WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER FROM THE PIER. MODIFIED MATERIAL CONDITION YOKE SET. SOPA IS COMMANDING OFFICER USS ABNAKI (ATF-96). SHIPS PRESENT INCLUDE VARIOUS CIVILIAN CRAFT AND NAVY YARD CRAFT. LCH

L. E. Horton
LTJG USN

Ø4-Ø8 MOORED AS BEFORE Ø63Ø MUSTERED CREW ON STATIONS: ABSENTEES NONE. COMMENCED PREPARATIONS FOR GETTING UNDERWAY Ø64Ø SET SPECIAL SEA AND ANCHOR DETAIL Ø657 CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. Ø7ØØ UNDERWAY ENROUTE TO OUTER APPROACH OF JOHNSTON ISLAND IN ACCORDANCE WITH VERBAL ORDERS

APPROVED: C C Reed U. S. N. COMMANDING

EXAMINED: R S Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 3 (Date) June (Month) 19 64

~~0812 Underway as before. 1014 Made daily inspection of magazines. Conditions normal~~

~~From~~ 0001-0800 (CONT) PORT CONTROL DRAFT 13'6" FWD 16'0" AFT 0703 COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH JOHNSTON ISLAND CHANNEL. 0731 A/A 6.7 KTS C/L TO 175° SECURED SPECIAL SEA AND ANCHOR DETAIL

J.E. Lorton
LTJG USN

0812 UNDERWAY AS BEFORE, MANEUVERING ON VARIOUS COURSES and Speeds while ASSISTING the Oceanographic Team in charting areas near the Channel entrance to Johnston Island. 0855 Anchored to port anchor IN EIGHT (8) FATHOMS OF WATER. SANDY CORAL BOTTOM. Thirty (30) FATHOMS of CHAIN ON DECK. Anchor BEARINGS: CONTROL TOWER 332°, LORAN TOWER 016°, AFT. RANGE 001. 1058 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS NORMAL.

J.L. Hollis, CWO2, USN

1216 ANCHORED AS BEFORE. 1411 COMMENCED MAKING PREPERATIONS FOR GETTING UNDERWAY. 1507 Set THE STEAMING AND ANCHOR WATCH. CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE. 1516 UNDERWAY. STEERING VARIOUS COURSES & SPEEDS, WHILE STANDING CLEAR OF CORAL HEAD EXPLOSION BY ~~UNIT~~ EODU 1 UNIT. 1554 EODU 1. Exploded 7,576 pounds of HBX DISTANCE Approximately ONE MILE. COMMENCE MANEUVERING ON VARIOUS COURSES & SPEEDS TO CHECK SHOT AREA FOR DEPTH.

J.L. Hollis, CWO2 USN

1616 UNDERWAY AS BEFORE 1601 COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS WHILE APPROACHING ANCHORAGE 1630 A/E STOP. LET GO PORT ANCHOR. ANCHORED SOUTH OF JOHNSTON ISLAND IN 48 FATHOM OF WATER, CORAL AND SAND BOTTOM. 45 FATHOM OF CHAIN ON DECK. CONTROL TOWER BEARS 348°, LORAN TOWER BEARS 022°. AFTER CHANNEL RANGE BEARS 098° SECURED ANCHOR DETAIL

J.E. Lorton LTJG USN

2016 ANCHORED AS BEFORE.

J.L. Hollis, CWO2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.S. Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE THURSDAY (Day) 4 (Date) JUNE (Month), 1964

AT/~~PASSAGE~~ FROM JOHNSTON ISLAND TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	12	10	Sct	2988	78	74	4	1000	Cu			
02	060	12	10	Sct	2987	77	73	4	1000	Cu			
03	055	14	10	Sct	2988	75	72	5	2000	Cu			
04	055	10	10	Sct	2985	79	74	5	2000	Cu			
05	075	16	10	Sct	2985	79	74	5	2000	Cu			
06	080	14	10	Sct	2985	79	74	5	2000	Cu			
07	100	12	10	BKN	2986	79	74	6	2000	Cu			
08	100	10	10	BKN	2987	81	75	6	2000	Cu			
09	100	10	10	BKN	2987	82	75	7	2000	Cu			
10	120	10	10	BKN	2988	84	75	6	2000	Cu			
11	120	13	10	BKN	2987	86	75	4	2000	Cu			
12	120	11	10	Sct	2988	87	75	5	2000	Cu			
13	110	11	10	Sct	2988	87	76	4	2000	Cu			
14	110	11	10	Sct	2988	87	77	4	2000	Cu			
15	095	11	10	Sct	2986	87	77	4	2000	Cu			
16	075	8	10	Sct	2985	84	77	3	2000	Cu			
17	075	7	10	Sct	2984	82	74	3	2000	Cu			
18	090	11	10	Sct	2983	81	75	3	2000	Cu			
19	085	11	10	Sct	2984	80	75	3	2000	Cu			
20	090	12	10	Sct	2985	79	75	3	2000	Cu			
21	090	8	10	Sct	2986	79	74	3	2000	Cu			
22	090	8	10	Sct	2987	78	74	3	2000	Cu			
23	100	7	10	Sct	2988	79	75	3	2000	Cu			
24	100	8	10	Sct	2988	79	76	3	1800	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 12.0

FUEL CONSUMED 0000-2400: 1025

REMARKS

00-04 ANCHORED OFF CHANNEL ENTRANCE TO JOHNSTON ISLAND ON THE FOLLOWING BEARINGS. LORAN TOWER 021°, AFTER RANGE MARKER, 006, CONTROL TOWER 348°, FORTY FIVE (45) FATHOMS OF CHAIN AT WATERS EDGE TO PORT ANCHOR, SAND AND CORAL BOTTOM. MATERIAL CONDITION YOKE (modified) Set, ~~CAPTAIN & NAVIGATOR ABOARD~~. SHIPS PRESENT INCLUDE THE OCEAN TUG MORA & VARIOUS SMALL CRAFT. SOPA is C.O. ABNAKI.

J.D. Hollis, CWO2 USN

04-08 ANCHORED AS BEFORE. 0730 MUSTERED THE CREW ON STATIONS. ABSENTEES; NONE. 0745 COMMENCED MAKING PREPERATIONS TO GET UNDERWAY. 0745 SET THE UNDERWAY WATCH AND ANCHOR DETAIL. 0755 HEAVED THE ANCHOR IN TO SHORT STAY. OCEANOGRAPHY CREW ABOARD FOR LOCAL SURVEY WORK.

J.D. Hollis, CWO2 USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R.D. Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 4 (Date) JUNE (Month), 1964

08-12 ANCHORED AS BEFORE, 0800 SET The ANCHOR detAIL.

RS Nason, Stjg

08-12 (CON'T) Anchore as before. Captain and Navigator on the bridge. 0809 Underway independently from the anchorage steering various courses at various speeds while clearing the anchorage and making soundings of the approaches to Johnston Island Channel 1000 Made daily inspection of Magazines. Conditions: normal 1139 Commenced making preparations to anchor off Johnston Island 1141 Anchored in 8 fathoms of water, sand and coral bottom with 45 fathoms of chain to the port anchor on the following bearings: Control Tower 337, After Range 359, Loran Tower 011°.

C. P. McKenzie, Ens, USNR

12-16 ANCHORED AS BEFORE. 1253 COMMENCED PREPERATIONS FOR GETTING UNDER WAY. 1338 SET THE UNDERWAY WATCH. CAPTAIN AND NAVIGATOR ARE on THE BRIDGE. COMMENCED HEAVING IN on THE ANCHOR. ~~1354 LT(JG) HALL HAS THE DECK & CONN.~~ OOD HAS THE CONN

L E Horton
LTJG USN

12-16 (Con'td). ANCHORED AS BEFORE. 1359 UNDERWAY. STEERING VARIOUS COURSES + SPEEDS WHILE OCEANOGRAPHERS CHARTED CHANNEL ENTRANCE AREA. SECURED THE ANCHOR DETAIL

J A Hall
Ltjg USNR

16-20 UNDERWAY AS BEFORE. MANUEVERING ON VARIOUS COURSES AND SPEEDS, ASSISTING OCEANOGRAPHER IN CHARTING CHANNEL ENTRANCE AREA. 1628 Set THE ANCHOR DETAIL. 1639 ANCHORED BY THE PORT ANCHOR, IN Eight (8) FATHOMS OF WATER, CORAL + SAND BOTTOM. FORTY FIVE (45) FATHOMS OF CHAIN TO WATERS EDGE. ON THE FOLLOWING BEARINGS, JOHNSTON ISLAND CONTROL TOWER 330°, LORAN TOWER, 011°, AFTER RANGE 356°, ANCHOR HOLDING. 1645 SECURED THE UNDERWAY WATCH AND ANCHOR DETAIL. SET THE INPORT WATCH. 1800 SET MATERIAL CONDITION YOKE (modified).

J. A. Hallis CWO2, USN

20-24 ANCHORED AS BEFORE

RS Nason, Stjg, USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: RS Nason, Stjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki CATF-96 ZONE DESCRIPTION +10W DATE Friday (Day) 5 (Date) June (Month), 1964

AT/~~PASSAGE FROM~~ Johnston Island ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	100	8	10	Sct	2986	76	76	3	2000	Cu			
02	100	8	10	Sct	2984	79	75	3	2000	Cu			
03	100	7	10	Sct	2983	79	75	3	2000	Cu			
04	090	12	10	Sct	2983	78	75	3	2000	Cu			
05	085	12	10	Sct	2984	78	74	2	2000	Cu			
06	083	11	10	Sct	2984	79	76	2	2000	Cu			
07	091	10	10	Sct	2893	80	76	4	2000	Cu			
08	080	8	10	Sct	2993	82	76	4	2000	Cu			
09	085	8	10	Sct	2992	84	77	4	2000	Cu			
10	080	7	10	Sct	2991	85	77	4	2000	Cu			
11	082	7	10	Sct	2990	87	78	4	2000	Cu			
12	085	7	10	Sct	2988	88	80	4	2000	Cu			
13	090	7	10	Sct	2987	85	79	4	2000	Cu			
14	080	9	10	Sct	2985	86	79	4	2000	Cu			
15	080	10	10	Sct	2986	85	78	4	2000	Cu			
16	080	11	10	Sct	2986	84	77	4	2000	Cu			
17	080	11	10	Sct	2985	81	76	4	2000	Cu			
18	080	11	10	Sct	2987	80	75	4	2000	Cu			
19	100	12	10	Sct	2986	81	74	4	2000	Cu			
20	105	6	10	Sct	2985	80	73	4	2000	Cu			
21	105	5	10	Sct	2987	79	72	5	2000	Cu			
22	105	4	10	Sct	2987	75	71	5	2000	Cu			
23	105	4	10	Sct	2987	78	70	4	2000	Cu			
24	105	4	10	Scl	2986	77	71	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 8.0

FUEL CONSUMED 0000-2400: 419

REMARKS

04-08 Anchored off Johnston Island in eight fathoms of water sandy coral bottom with 45 fathoms of chain to the port anchor on the following bearings: After Range 356.5°, Loran Tower 011° Control Tower 336.5. Material Condition Yoke Modified is set. Ships present include various units of the U.S. Pacific Fleet yard and civilian yard craft. SOPA is commanding officer USS Abnaki

D S Nasen, Ltjg, USNR

04-08 Anchored as before. 075 Mustered the crew on stations Absentees: None

D S Nasen Ltjg

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Nasen, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 5 (Date) JUNE (Month) 19 64

04-08 (CONT.) 0725 STATIONED THE ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE CONN 0735 COMMENCED HEAVING UP THE ANCHOR. 0738 ANCHOR AWEIGH. R/30° RUDDER P/E AHEAD 3.3 KTS. 0742 C/C TO 230° COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS WHILE ~~CONDUCTING~~ ASSISTING NAVY OCEANOGRAPHY REPRESENTIVE CONDUCT BOTTOM SURVEY OF WESTERN CHANNAL APPROACH TO JOHNSTON ISLAND.

LE Norton
LTJG USN

08-12 UNDERWAY AS BEFORE 0959 MADE DAILY INSPECTION OF MAGAZINES AND WEEKLY TEST ON SPRINKLER SYSTEM. CONDITIONS: NORMAL.

LE Norton
LTJG USN

12-16 Underway as before. Steering various courses at various speeds while ~~anchor~~ attempting to anchor off Johnston Island Captain and Navigator are on the bridge. 1216 Let go the port anchor. Anchored in 8 fathoms of water with 45 fathoms of anchor chain to the port anchor on the following bearings: Control Tower 345, East Island 038 Foran Tower 013. 1335 Set the anchor detail commenced heaving in the anchor. 1340 Underway independently while conducting soundings on the approaches to Johnston Island Channel. 1354 Let go the port anchor. Anchored in 7 fathoms of water sand and coral bottom with 45 fathoms of chain to the port anchor on the following bearings. Foran Tower 012.5, Fwd Range 357, Control 332. 1554 Set the Special Sea and Anchor detail. Captain and Navigator on the bridge.

C.P. McKenzie, Ens, USNR

16-20 Anchored as before. 1602 Maneuvering to clear the anchorage. 1609 Steering various courses at various speeds while entering Johnston Island Channel. 1611 Captain has the Conn. 1614 Passed buoy #2 100 yds abeam to port. 1645 Moored starboard side to U.S. Navy Pier Johnston Island with standard mooring lines. 1655 Secured the sea and anchor detail.

J.A. Hall, Ltjg. USNR

16-20 (CONTINUED) Moored as before. 1759 Mustered the crew at quarters. Absentees: none.

C.P. McKenzie, Ens, USNR

20-24 Moored as before.

C.P. McKenzie, Ens, USNR

APPROVED: CC Reed Lt. U.S.N. COMMANDING

EXAMINED: RS Mason, Ltjg U.S.N. NAVIGATOR

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki CATF-96 ZONE DESCRIPTION T10 DATE SATURDAY (Day) 6 (Date) JUNE (Month), 1964

AT/~~PASSAGE~~ FROM Johnston Island TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	100	2	10	Sct	2987	80	77	5	2000	Cu			
02	100	2	10	Sct	2985	80	75	5	2000	Cu			
03	100	2	10	BKN	2983	80	75	6	2000	Cu			
04	100	3	10	BKN	2984	80	75	6	2000	Cu			
05	090	4	10	BKN	2983	80	75	7	2000	Cu			
06	090	5	10	OVC	2984	80	75	9	2000	Cu			
07	095	5	10	BKN	2985	80	76	7	2000	Cu			
08	095	5	10	BKN	2986	81	76	6	2000	Cu			
09	095	7	10	Sct	2986	82	75	5	2000	Cu			
10	090	7	10	Sct	2985	84	74	5	2000	Cu			
11	110	9	10	Sct	2985	85	74	5	2000	Cu			
12	110	13	10	Sct	2984	86	74	5	2000	Cu			
13	125	15	10	Sct	2984	87	74	5	2000	Cu			
14	120	11	10	Sct	2983	85	75	5	2000	Cu			
15	120	12	10	Sct	2984	84	74	5	2000	Cu			
16	120	11	10	Sct	2984	83	74	5	2000	Cu			
17	135	11	10	Sct	2985	82	74	4	2000	Cu			
18	130	12	10	Sct	2985	81	74	4	2000	Cu			
19	130	18	10	Sct	2987	80	74	4	2000	Cu	80	085	2
20	125	17	10	Sct	2987	80	74	4	2000	Sc	80	100	2
21	120	14	10	Sct	2987	79	74	4	2000	Sc	82	100	2
22	110	14	10	Sct	2988	79	74	4	2000	Sc	82	100	2
23	110	15	10	Sct	2988	79	74	4	2000	Sc	82	100	2
24	100	14	10	Sct	2988	79	74	4	2000	Sc	82	100	2

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L 16-42.5N		BY 3
λ 169-14.2W		BY 3

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
57.8

FUEL CONSUMED 0000-2400
1901

REMARKS

00-04 Moored starboard side to aft End of Main Pier, Johnston Island, with standard mooring lines doubled. Receiving fresh water services from the pier. Modified material condition yoke is set. Ships present include various yard and small craft. SOPA & Commanding Officer of the USS Abnaki (ATF-96).

C. P. McKenzie, Ens, USNR

04-08 Moored as before. 0745 Mustered the crew on stations. Absentees: none.

C. P. McKenzie, Ens, USNR

APPROVED: C C Read Lt. U. S. N. COMMANDING

EXAMINED: R S Nasen, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (AFF-96) ~~Saturday~~ (Day) 6 (Date) June (Month) 19 64

0800-12 Moored as before. 0845 Set ~~the~~ Special Sea and Anchor detail. 0849 Completed all preparations for getting underway. Draft 14'3" Fwd 15'5" Aft Captain and ~~Navigator~~ Navigator on the bridge 0925 Underway from ~~Lakehurst~~ Leland. Steering various courses at various speeds while maneuvering ~~to clear the berth~~ and stood out of the channel 1000 Captain ~~has the~~ Conn. 1006 YTM 749 brought YFNB-6 alongside. Steering various courses at various speeds while ~~lashing~~ on to YFNB-6. 1017 YFNB-6 in tow 1115 Made daily inspection of magazines, conditions: normal ~~12~~

C. P. McKenzie, Ens, USNR

1200-16 Underway as before 1215 000 ~~has the~~ Conn. Steering various courses at various speeds while ~~taking~~ YON-89 in tow 1324 Captain ~~has the~~ Conn 1422 YON-89 in tow 1444 000 ~~has the~~ Conn 1523 Steady on Course 270° ~~1615 C/C to 100° 1658 Captain has the Conn Steering various Courses at various speeds while taking YCV-17 in tow~~

C. P. McKenzie, Ens, USNR

1600-2000 Underway as before 1615 c/c to 100° 1658 Captain has the Conn. Steering various Courses at various speeds while taking YCV-17 in tow 1739 c/c to 090° 1756 c/s to 60 RPM

C. P. McKenzie, Ens, USNR

1600-2000 (Cont'd) UNDERWAY AS BEFORE, 1756 c/s 7.7 Kts. 1800 c/s 10.1 KTS. 1801 c/s 11.3 KTS. 1802 c/s 10.1 KTS. 1803 c/s 11.3 KTS. 1804 c/s 13.3 KTS. 1900 c/c 068°

C. P. McKenzie, Ens, USNR

2000-2400 UNDERWAY AS BEFORE. WITH YCV-17 INTOW AT 1500 FEET YON-89 ON 600 FOOT UNDER RIDER, YFNB-6 ON 600 FOOT UNDER RIDER FROM YON-89.

J. C. Hollis, CWO2-USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SUNDAY (Day) 7 (Date) JUNE (Month), 1964

AT/PASSAGE FROM JOHNSTON ISLAND TO PEARL HARBOR HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	083	13	Sct	10	2985	80	78	4	1800	Cu	82	100	1
02	084	13	Sct	10	2984	80	78	4	1800	Cu	82	100	1
03	085	14	Sct	10	2984	80	77	4	1800	Cu	82	100	1
04	092	12	Sct	10	2980	80	75	4	1800	Cu	82	100	1
05	098	12	Sct	10	2981	79	75	5	2000	Cu	81	100	1
06	110	14	Sct	10	2982	80	75	4	2000	Cu	81	100	1
07	125	19	Sct	10	2983	80	76	5	2000	Cu	81	100	1
08	098	18	Sct	10	2984	81	77	3	2000	Cu	81	100	2
09	096	18	Sct	10	2986	81	77	3	2000	Cu	81	100	2
10	096	12	Sct	10	2986	84	79	3	2000	Cu	82	095	2
11	100	11	Sct	10	2985	84	79	3	2000	Cu	82	100	2
12	109	11	Sct	10	2987	85	80	3	2000	Cu	82	100	2
13	080	12	Sct	10	2987	86	80	3	2000	Cu	82	100	2
14	092	11	Sct	10	2987	87	80	3	2000	Cu	82	100	1
15	090	11	Sct	10	2984	87	80	3	2000	Cu	81	100	1
16	100	11	Sct	10	2983	87	75	3	2000	Cu	81	100	1
17	100	11	Sct	10	2984	86	75	3	2000	Cu	82	100	1
18	120	15	Sct	10	2984	82	76	3	2000	Cu	82	100	1
19	115	16	Sct	10	2987	81	75	3	2000	Cu	82	100	1
20	085	16	Sct	10	2988	81	75	3	2000	Cu	81	100	1
21	085	16	Sct	10	2990	81	76	3	2000	Cu	81	100	2
22	105	14	Sct	10	2990	81	75	3	2000	Cu	82	100	2
23	105	14	Sct	10	2990	81	75	3	2000	Cu	82	100	2
24	110	14	Sct	10	2991	80	75	3	2000	Cu	82	100	2

POSITION	ZONE	TIME
0800 L	17-15.4N	BY 2
λ	168-02.9W	BY 2
1200 L	17-25.5N	BY 2
λ	167-38.0W	BY 2
2000 L	17-48.7N	BY 2
λ	166-45.8W	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 2000 (ZT) 6 June 1964 (Date)

TO 0800 (ZT) 7 June 1964 (Date)

SET 305

DRIFT .3Kt

POSITION BETWEEN FIXES

MID. L 16-58.9 N

MID. λ 168-38.9W

MILES STEAMED 0000-2400: 153.0

FUEL CONSUMED 0000-2400: 3036

REMARKS

00-04 STEAMING INDEPENDANTLY ENROUTE FROM JOHNSTON ISLAND TO PEARL HARBOR, HAWAII, WITH YCV-17, YOGN89, AND YFNB-6, IN TOW, IN ACCORDANCE WITH COMSERVPAC SAILORD-2023572 OF MAY 1964. 1500 FEET OF 2 INCH TOW WIRE OUT TO YCV-17 WITH YOGN89 AND YFNB-6 ON 600 FT 1 5/8 INCH UNDER-RIDERS. MATERIAL CONDITION YOKE MODIFIED, READINESS CONDITION V, ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III SET. BASE COURSE 068 BASE SPEED 12 KTS.

H C Horton LTJG USN.

04-08 Underway as before. 0745 Mustered ~~the~~ crew on stations. Absentees: none.

C P McKenzie, Cns, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Nasen, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Sunday (Day) 7 (Date) June (Month), 1964

08-12 Underway as before. 0900 made daily inspection of Magazines. Conditions: Normal

J A Hall
Ltjg USNR

12-16 UNDERWAY AS BEFORE.

J.D. Hollis. Civo 2. USN

16-18 Underway As Before.

J E Horton
LTJG USN

18-20 Underway as before.

C. P. McKenzie, Ens, USNR

20-24 Underway as before. 2000 c/s to 11.8 kts.

J A Hall
Ltjg USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +-10-W DATE MONDAY (Day) 8 (Date) JUNE (Month), 19 64

AT/PASSAGE FROM JOHNSTON, ISLAND TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	088	12	10	Sct	2984	80	75	3	1800	Cu	82	090	2
02	080	15	10	Sct	2987	80	75	3	2000	Cu	82	090	2
03	080	17	10	Sct	2986	79	74	3	2000	Cu	82	085	2
04	100	13	10	Sct	2985	79	75	4	2000	Cu	82	085	2
05	089	15	10	BKN	2987	79	74	6	2000	Cu	82	085	2
06	085	16	10	BKN	2989	79	76	6	2000	Cu	82	085	2
07	110	20	10	BKN	2989	79	74	6	2000	Cu	82	085	2
08	110	20	10	BKN	2990	81	75	6	2000	Cu	82	085	2
09	117	17	10	BKN	2991	81	75	7	2000	Cu	82	105	2
10	116	18	10	BKN	2991	82	75	6	2000	Cu	80	105	2
11	105	14	10	Sct	2991	84	76	3	2000	Cu	81	105	2
12	085	18	10	Sct	2991	84	76	3	2000	Cu	82	105	2
13	085	18	10	Sct	2993	84	77	4	2000	Sc	82	085	2
14	090	16	10	Sct	2993	85	77	5	2000	Sc	82	085	2
15	090	16	10	Sct	2991	85	77	4	2000	Sc	82	085	2
16	088	13	10	BKN	2992	86	79	7	2000	Sc	82	085	2
17	085	12	10	BKN	2991	85	75	6	2000	Sc	82	085	2
18	082	14	10	BKN	2992	84	74	6	2000	Sc	82	085	2
19	078	16	10	BKN	2990	82	74	8	2000	Sc	82	085	2
20	100	16	10	Sct	2989	81	73	5	2000	Sc	82	095	2
21	082	14	10	Sct	2990	80	73	5	2000	Sc	82	095	2
22	085	14	10	Sct	2991	76	72	5	2000	Sc	82	095	2
23	087	15	10	Sct	2991	75	71	4	2000	Sc	82	095	2
24	090	15	10	Sct	2992	79	71	7	2000	Sc	82	095	2

POSITION	ZONE	TIME
0800 L	18-20.0N	BY 1-2
λ	165-35.3W	BY 1-2
1200 L	17-18.5N	BY 2
λ	165-N.0W	BY 2
2000 L	18-55.0N	BY 2
λ	164-31.0W	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 1200 (ZT) 8 June (Date) 1964
TO 2000 (ZT) 8 June (Date) 1964
SET 340
DRIFT .75 Kt

POSITION BETWEEN FIXES

MID. L 18-06.7N
MID. λ 164-53.0W

MILES STEAMED 0000-2400
146.3

FUEL CONSUMED 0000-2400
2952

REMARKS

00-04 STEAMING INDEPENDENTLY ~~FROM~~ ENROUTE FROM JOHNSTON ISLAND TO PEARL HARBOR, HAWAII, WITH YCV-17, YON-89 AND YFNB-6 INTOW IN ACCORDANCE WITH COMSERVPAC SAILORD 202357Z of May, 1964. YCV STREAMED TO 1675 FEET ON main tow wire, YON on 600 foot under rider, YFNB on 600 FOOT under rider. Base Course 068 Base speed 118 KTS. MATERIAL ~~READINESS~~ CONDITION YOKE (modified) SET. ~~READINESS~~ CONDITION V, ENGINEERING & DAMAGE CONTROL CONDITIONS III SET.

J.L. Hollis, CWO2 USN

04-08 UNDERWAY AS BEFORE 0745 MUSTERED CREW ON STATIONS: ABSENTEES: NONE

J.E. Johnston
LTJG USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R.S. Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 8 (Date) JUNE (Month) 1964

Ø8-12 Underway as before 1Ø14 Made daily inspection of magazines. Conditions: Normal

C. P. McKenzie, Ens, USNR

12-16 Underway as before. 1200 C/S to 12.3 kt. 1324 Exercised the crew at abandon ship drill 1333 Secured the crew from abandon ship drill.

J. C. Hall
Lt(jg) USNR

16-18 UNDERWAY AS BEFORE.

Jr. Hallis, CWO2, USN

18-20 UNDERWAY AS BEFORE.

H. C. Hanton
LTJG USN

2Ø-24 Underway as before.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE Tuesday (Day) 9 (Date) June (Month), 1964

AT/PASSAGE FROM Johnston Island TO Pearl Harbor, Hawaii

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	080	16	10	Sct	2990	80	74	3	1500	Cu	82	040	2
02	080	16	10	Sct	2990	80	74	3	1500	Cu	82	090	2
03	090	15	10	Sct	2988	79	74	3	1500	Cu	82	090	2
04	083	11	10	Sct	2987	79	75	3	1500	Cu	82	090	2
05	085	11	10	Sct	2987	79	75	3	2000	Sc	82	090	2
06	080	11	10	Sct	2987	80	75	3	2000	Sc	82	100	2
07	083	10	10	Sct	2988	80	74	4	2000	Sc	82	100	2
08	082	11	10	Sct	2988	80	75	5	2000	Sc	81	100	2
09	082	11	10	Sct	2989	81	76	4	2000	Sc	81	100	2
10	083	16	10	Sct	2989	83	76	4	2000	Sc	81	100	2
11	055	17	10	Sct	2990	83	76	5	2000	Sc	81	100	2
12	100	17	10	Sct	2989	84	76	5	2000	Sc	81	100	2
13	082	13	10	Sct	2988	85	76	5	2000	Sc	81	100	2
14	080	12	10	Sct	2986	85	77	5	2000	Sc	81	100	2
15	085	11	10	Sct	2984	85	77	3	2000	Sc	81	100	2
16	085	12	10	Sct	2983	84	76	3	2000	Sc	81	100	2
17	084	12	10	Sct	2983	84	76	3	2000	Sc	81	100	2
18	085	12	10	Sct	2985	84	75	3	2000	Sc	81	100	2
19	085	12	10	Sct	2986	84	75	1	2000	Sc	81	100	2
20	085	16	10	Sct	2988	80	75	1	2000	Sc	81	100	2
21	087	16	10	Sct	2990	79	75	2	2000	Sc	81	100	2
22	089	15	10	Sct	2990	79	75	2	2000	Sc	81	100	2
23	100	12	10	Sct	2990	79	75	3	2000	Sc	81	100	2
24	100	15	10	Sct	2990	80	75	3	2000	Sc	81	100	2

POSITION	ZONE	TIME
0800 L	19-27.8N	BY 1-2
λ	163-15.0W	BY 1-2
1200 L	19-38.8N	BY 2
λ	162-48.0W	BY 2
2000 L	19-59.0N	BY 2
λ	161-59.8W	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 2000 (ZT) 8 June (Date) 1964

TO 0800 (ZT) 9 June (Date) 1964

SET 033

DRIFT .4 Kt

POSITION BETWEEN FIXES

MID. L 19-11.5N

MID. λ 163-53.0W

MILES STEAMED 0000-2400: 153.6

FUEL CONSUMED 0000-2400: 3077

REMARKS

00-04 Steaming independently enroute from Johnston Island to Pearl Harbor, Hawaii, with YCV-17, YON-89 and YFNB-6 in tow, in accordance with COMSERVPAC Sail ORD-202357 of 7 May 1964. 1500 feet of 2 inch tow wire out to YCV-17 with YON-89 and YFNB on 60 ft., 1 5/8" under-riders. Material condition YOKE modified Readiness Condition V, Engineering Condition III and Damage Control Condition III set. Base Course 068°. Make speed 12.3 kts.

J. D. Hall
Ltjg USNR

04-08 UNDERWAY AS BEFORE. 0713 c/s 10.8 Kts. 0714 c/s 12.3 Kts. 0745 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE.

J. D. Hollis, CWO-2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Nason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ADAKI ATF-96 TUESDAY (Day) 9 (Date) JUNE (Month), 19 64

0800-12 UNDERWAY AS BEFORE 0941 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL

J E Hanton
LTJG USN

12-16 Underway as before. 1200 c/s to 95 RPM.

C. P. McKenzie, Ens, USNR

16-18 Underway as before. 1629 c/s to 11.3 kt.

J. A. Hall
Ltjg USNR

18-20 UNDERWAY AS BEFORE.

J. L. Hollis, QMG2, USN

20-24 Underway as Before 2000 c/s To 0700

J E Hanton
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 W DATE WEDNESDAY (Day) 10 (Date) JUNE (Month), 1964

AT/PASSAGE FROM Johnston Island TO Pearl Harbor, Hawaii

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	100	14	10	Sct	2988	80	75	3	2000	Sc	81	100	2
02	093	10	10	Sct	2986	80	75	3	1000	Sc	81	100	2
03	093	10	10	Sct	2985	80	75	3	2000	Sc	81	100	2
04	095	10	10	Sct	2986	80	75	3	2000	Sc	81	100	2
05	095	11	10	Sct	2985	79	78	3	2000	Sc	80	100	2
06	095	12	10	Sct	2986	79	78	2	2000	Sc	80	100	2
07	095	9	10	Sct	2985	79	78	5	2000	Sc	80	100	2
08	090	9	10	BKN	2987	80	75	7	2000	Sc	80	090	2
09	092	10	10	BKN	2987	83	77	6	2000	Sc	80	090	2
10	088	9	10	BKN	2984	82	77	6	2000	Sc	80	090	2
11	088	9	10	BKN	2989	81	75	7	2000	Sc	80	100	2
12	082	12	10	BKN	2986	82	75	7	2000	Cu	80	100	2
13	074	11	10	BKN	2984	82	75	8	2000	Cu	80	100	2
14	073	10	10	BKN	2984	80	75	7	2000	Cu	80	100	2
15	084	9	10	BKN	2983	80	75	6	2000	Cu	80	100	2
16	100	9	10	Sct	2981	82	77	5	2000	Cu	80	100	2
17	100	12	10	Sct	2981	83	77	5	2000	Cu	80	100	2
18	095	15	10	Sct	2981	80	74	4	2000	Cu	80	100	2
19	055	12	10	Sct	2980	79	76	4	2000	Cu	80	100	2
20	095	12	10	Sct	2984	79	75	4	2000	Cu	80	100	2
21	085	11	10	Sct	2984	78	76	4	2000	Cu	80	100	2
22	085	10	10	Sct	2984	77	76	3	2000	Cu	80	100	2
23	080	9	10	Sct	2984	77	76	3	2000	Cu	80	100	2
24	080	9	10	Sct	2986	77	75	2	2000	Cu	80	100	2

POSITION	ZONE	TIME
0800 L	20-18.3N	BY 1-2
λ	160-48.7	BY 1-2
1200 L	20-29.4N	BY 2
λ	160-21.8W	BY 2
2000 L	20-31.7N	BY 2
λ	159-26.1W	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 2000 (ZT) 9 June (Date) 1964

TO 0800 (ZT) 10 June (Date) 1964

SET 200

DRIFT .25 Kts

POSITION BETWEEN FIXES

MID. L 20-08.7 N

MID. λ 161-24.2 W

MILES STEAMED 0000-2400: 152.3

FUEL CONSUMED 0000-2400: 2960

REMARKS

00-04 Steaming independently enroute from Johnston Island to Pearl Harbor, Hawaii with YFU-17, YOP 89 and YFNB-6 in tow in accordance with Conserpac fuel Ord Msg 200357 of May 1964. 2475 feet of 2 inch wire on automatic out to YFU-17 with YOP-89 astern and YFNB-6 on 600 ft 1 5/8 inch underriders. Material Condition Yoke Modified ~~it set~~, Readiness Condition II, Engineering Condition III, and Damage Control Condition III is set. Base Course 070. Base Speed is 90 rpm.

C. P. McKenzie, Cox, USN

04-08 Underway as before. 0745 Mustered the crew at stations. Absentees: None.

J. A. Hall
Ltjg USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Rasen. Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 10 (Date) JUNE (Month), 1964

08-12 UNDERWAY AS BEFORE. 0800 c/c 066°, c/s 11.8 Kts. 1106 c/s stop - c/s 11.8 Kts. 1107 made daily inspection of magazines. Conditions: normal.

J.L. Hollis, CWO2 - USN

12-16 Underway As Before 1319 c/c to 090

L.E. Horton
LTJG USN

16-18 Underway as before.

C.P. McKenzie, Ens, U&MR

18-20 Underway as before. 1930 c/c to 068°

J.A. Hall
USNR LTJG

20-24 UNDERWAY AS BEFORE. 2009 c/c 066, c/s 11.3 Kts.

J.L. Hollis, CWO2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.S. Nasen, LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE THURSDAY (Day) 11 (Date) JUNE (Month), 1962

AT/PASSAGE FROM JOHNSTON ISLAND TO PEARL HARBOR, HAWAII

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	085	7	10	Sct	29.85	80	75	4	2000	Cu	80	090	2
02	082	7	10	Sct	29.85	80	75	4	2000	Cu	80	090	2
03	083	6	10	Sct	29.82	80	75	3	2000	Cu	80	090	2
04	071	14	10	Sct	29.81	79	75	3	2000	Cu	80	100	2
05	078	12	10	Sct	29.81	78	75	3	2000	Cu	80	090	2
06	073	7	10	Sct	29.83		76	3	2000	Cu	80	040	1
07	070	7	10	Sct	29.83		76	3	2000	Cu	80	040	1
08	076	8	10	Sct	29.85		74	3	1800	Cu	80	090	1
09	100	8	10	Sct	29.85		74	3	1800	Cu	80	090	1
10	130	5	10	Sct	29.85		76	3	1800	Cu	80	130	1
11	115	5	10	Sct	29.85		76	3	1800	Cu	80	115	1
12	110	5	10	Sct	29.85	86	75	3	1800	Cu	80	115	1
13	110	5	10	Sct	29.85	86	75	3	1800	Cu			
14	100	4	10	Sct	29.86	84	75	5	1800	Cu			
15	075	4	10	Sct	29.86	84	75	3	1800	Cu			
16	070	4	10	Sct	29.86	83	75	3	2000	Cu			
17	065	4	10	Sct	29.86	82	75	3	2000	Cu			
18	060	4	10	Sct	29.86	81	74	3	2000	Cu			
19	055	4	10	Sct	29.86	80	74	3	2000	Cu			
20	050	4	10	Sct	29.87	80	74	3	2000	Cu			
21	040	4	10	Sct	29.87	80	74	3	2000	Cu			
22	040	4	10	Sct	29.87	80	74	3	2000	Cu			
23	040	4	10	Sct	29.87	80	74	3	2000	Cu			
24	040	4	10	Sct	29.86	79	75	3	2000	Cu			

POSITION	ZONE	TIME
0800 L	21-12.5N	BY 3
λ	158-16.5W	BY 3
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 71.4

FUEL CONSUMED 0000-2400: 2375

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM JOHNSTON ISLAND TO PEARL HARBOR HAWAII WITH YCV-17, YON 89, AND YFNB-6 IN TOW IN ACCORDANCE WITH COMSERVPAC SAILORD 202357 OF MAY 1962. 1475 FEET OF 2 INCH TOW WIRE OUT TO YCV-17 WITH YON 89 AND YFNB 6 ON 600 FOOT 1 5/8 INCH UNDERRIDERS. MATERIAL CONDITION YOKE MODIFIED, READINESS CONDITION V, ~~EDGE~~ ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III SET. BASE COURSE 066°, BASE SPEED 90 RPM - 14.3 KTS

Leslie E. Horton

04-08 Underway as before. 0621 c/c to ~~85 RPM~~ 10.8 KTS. 0623 c/c to 000° LAT 6 45N DON 0701 c/c to 005 ~~06~~ 0706 c/c to 010. 0719 c/c to 090. 0745 (1n Mustered the crew on stations: absentees: none.

C.P. McKenzie, Ens, USNR

APPROVED:

C C Read Lt. U. S. N. COMMANDING

EXAMINED:

R D Mason, Stfcy U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ADAK (ATF-96) Thursday (Day) 11 (Date) June (Month) 19 64

08-12 Underway as before. 0837 C/S to 9.5 kts. 0933 C/C to 087°. 1017 C/S to 8.9 kts. 1040 C/C to 090°. Made daily inspection of Magazines. Conditions Sound. 1152 C/C to 323° 1153 C/S to 6.7 kts

J. A. Hall
Ltjg USNR

12-16 UNDERWAY AS BEFORE 1206 C/C 328°, 1209 C/S 5.2 Kts. 1214 C/C 333°, 1222 C/C 335°, 1223 C/C 360°, 1256 C/S all stop-, C/S 5.2 Kts. 1303 C/C 330°, 1305 SET THE SPECIAL SEA AND ANCHOR DETAIL, CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE. MARINE PREPERATIONS FOR ENTERING PORT WITH TOWS. 1313 TOWS IN TO 300 FEET. 1323 ENTERED INLAND WATERS. COMMENCED MANEUVERING ON VARIOUS COURSES & SPEEDS WHILE ENTERING PEARL HARBOR CHANNEL. 1344 PASSED BUOY #2 ABEAM TO STBD. APPROXIMATELY 75 yds. 1348 YTM-496 MADE UP STBD SIDE TO YCV-17. 1351 YTM 761 MADE UP STBD SIDE TO YOGN 89. 1353 PASSED BUOY 4 ABEAM TO STBD. APPROXIMATELY 50 yds. 1357 YTM 142 MADE UP STBD SIDE TO YFNB-6. 1358 YCV-17 cast off to YTM 496. 1403 PASSED BUOY #6 ABEAM TO STBD - APPROXIMATELY 75 yds. 1411 PASSED BUOY 8 ABEAM TO STBD. APPROXIMATELY 50 yds. 1414 CAST OFF YOGN 89 TO YTM 761, 1422 BASE COURSE 000 Spud 3.3 Kts. 1431 CAPTAIN has the Conn. 1435 YFNB-6 CAST OFF to YTM 142. ALL TOWS RELEASED. COMMENCED 180° Reverse Course. 1437 OOD has THE CONN. C/C 180°, 1438 COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO APPROACH BERTH ALFA THREE (A-3). 1452 CAPTAIN HAS THE CONN. 1453 MOORED STBD SIDE TO BERTH ALFA THREE (A-3) US NAVAL STATION, PEARL HARBOR, HAWAII, WITH STD. MOORING LINES. 1505 Cleared by U.S. AGRICULTURE INSPECTORS. 1533 CLEARED by U.S. Customs. SECURED THE SPECIAL SEA & ANCHOR DETAIL, SET THE REGULAR INPORT WATCH. 1545 YOGN 115 MOORED outboard to port Qtr.

J.L. Hollis, CWO-2, USN

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE. (Modified.) 1805 Commenced TAKING on Diesel Fuel 1855 SECURED from Fueling. Received 38,568 gals. 1903 YOGN 115 Cast off to YTM 761.

J.L. Hollis, CWO-2, USN

20-24 MOORED AS BEFORE.

J.L. Hollis, CWO-2, USN

APPROVED: CC Reed Lt. U.S.N. COMMANDING

EXAMINED: R.S. Mason, Flyg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE FRIDAY (Day) 12 (Date) JUNE (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	240	3	10	SCT	29.86	79	73	4	2000	CU			
02	240	2	10	SCT	29.86	79	73	4	2000	CU			
03	240	2	10	SCT	29.86	79	75	4	2000	CU			
04	240	2	10	SCT	29.88	77	74	4	2000	CU			
05	240	2	10	SCT	29.89	76	72	3	2000	CU			
06	240	2	10	SCT	29.88	76	70	3	2000	CU			
07	240	2	10	SCT	29.89	76	70	3	2000	CU			
08	240	2	10	SCT	29.90	77	71	2	1800	CU			
09	240	2	10	SCT	29.90	78	72	3	1800	CU			
10	240	1	10	SCT	29.90	78	72	3	1800	CU			
11	240	1	10	SCT	29.90	78	72	3	1800	CU			
12	240	1	10	SCT	29.90	80	75	3	1800	CU			
13	245	2	10	SCT	29.90	82	76	3	1800	CU			
14	245	2	10	SCT	29.90	83	77	3	1800	CU			
15	245	2	10	SCT	29.90	83	77	3	1800	CU			
16	200	3	10	SCT	29.90	83	76	3	2000	CU			
17	190	4	10	SCT	29.90	82	76	3	2000	CU			
18	100	5	10	SCT	29.90	82	75	3	2000	CU			
19	045	6	10	SCT	29.90	81	75	3	2000	CU			
20	045	6	10	SCT	29.90	81	75	3	2000	CU			
21	045	4	10	SCT	29.90	80	74	3	2000	CU			
22	045	4	10	SCT	29.90	79	73	5	2000	CU			
23	045	3	10	SCT	29.90	79	73	3	2000	CU			
24	045	3	10	SCT	29.90	79	72	3	1800	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 212

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH ALFA THREE (A-3) U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH STD. MOORING LINES DOUBLED. MATERIAL CONDITION YOKE (Modified) SET. RECEIVING POTABLE WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, DISTRICT AND SMALL CRAFT. SOPA IS COMINCPACFLT.

J.L. Hollis, CWO2, USN

0408 MOORED AS BEFORE. OTHS MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J.L. Hollis, CWO2, USN

APPROVED: C.C. Rood Lt. U. S. N. COMMANDING

EXAMINED: R.S. Mason, Stfcy U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Friday (Day) 12 (Date) June (Month) 1964

08-12 Moored as before. 1045 Made daily inspection of magazines conditions normal; Conducted weekly test of magazine sprinkler system, test satisfactory

D S Mason Stjg, USNR

12-16 Moored as before. 1515 Commenced diving operations in order to install patch on Hull. 1545 Secured from diving operations.

D S Mason, Stjg

16-20. Moored as before. 1800 Set material condition Yoke Modified.

D S Mason Stjg

20-24. Moored as before.

D S Mason, Stjg

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Mason Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE SATURDAY (Day) 13 (Date) JUNE (Month), 1964

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	045	5	10	SCT	29.90	78	71	4	2000	CU			
02	045	5	10	SCT	29.88	77	70	4	2000	CU			
03	045	5	10	SCT	29.89	99	71	4	2000	CU			
04	040	4	10	SCT	29.89	77	71	4	2000	CU			
05	040	3	10	SCT	29.87	78	72	4	2000	CU			
06	040	3	10	SCT	29.88	79	72	4	2000	CU			
07	040	3	10	SCT	29.90	79	72	4	2000	CU			
08	040	3	10	SCT	29.90	80	73	5	2000	CU			
09	040	3	10	SCT	29.91	84	76	4	2000	CU			
10	040	3	10	SCT	29.91	84	76	4	2000	CU			
11	040	3	10	SCT	29.91	89	77	4	2000	CU			
12	040	3	10	SCT	29.90	90	78	5	2000	CU			
13	040	3	10	SCT	29.90	91	77	5	2000	CU			
14	040	5	10	SCT	29.90	91	77	5	2000	CU			
15	040	4	10	SCT	29.91	91	77	7	2000	CU			
16	040	4	10	SCT	29.90	88	76	6	2000	CU			
17	040	4	10	SCT	29.89	85	75	5	2000	CU			
18	040	4	10	SCT	29.87	84	75	5	2000	CU			
19	040	4	10	SCT	29.90	83	76	5	2000	CU			
20	040	4	10	SCT	29.90	83	76	5	2000	CU			
21	040	4	10	SCT	29.90	82	76	4	2000	CU			
22	040	4	10	SCT	29.91	82	77	4	2000	CU			
23	040	4	10	SCT	29.91	82	77	4	2000	CU			
24	040	4	10	SCT	29.91	81	77	4	2000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 240

REMARKS

00-04 MOORED STARBOARD side TO berth A-3, U.S. NAVAL BASE, Pearl Harbor, Hawaii with standard MOORING LINES doubled. MATERIAL CONDITION YOKE (Modified) is SET. Receiving POTABLE water AND telephone SERVICES FROM Tle pier. Ships PRESENT include VARIOUS UNITS of The U.S. PACIFIC Fleet, Yard AND DISTRICT CRAFT. SOPA is CINCPACFLT.

D S Mason, Stjg, USNR

04-08 MOORED AS before. *0745 MUSTERED The CREW ON STATIONS ABSENTEES: NONE. *0815 Made daily inspection of magazine conditions normal

D S Mason, Stjg

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

D S Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF 96) Saturday (Day) 13 (Date) June (Month) 19 64

08-12 Moored as before.

C. P. McKenzie, Ens, USNR

12-16 Moored as before.

C. P. McKenzie, Ens, USNR

16-20 Moored as before 1800 Set condition Yoke Modified

C. P. McKenzie, Ens, USNR

20-24 Moored as before.

C. P. McKenzie, Ens, USNR

APPROVED:

CC Reed Lt. U. S. N. COMMANDING

EXAMINED:

DS Mason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (CaTF-96) ZONE DESCRIPTION +10W DATE Sunday 13/14 (Day) (Date) June (Month), 1964

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	045	4	10	SCT	29.91	99	73	3	2000	CU			
02	045	4	10	SCT	29.92	78	72	3	2000	CU			
03	045	3	10	SCT	29.92	78	71	3	2000	CU			
04	045	3	10	SCT	29.93	79	70	3	2000	CU			
05	045	3	10	SCT	29.93	79	70	3	2000	CU			
06	045	3	10	SCT	29.94	79	70	3	2000	CU			
07	045	3	10	SCT	29.94	81	71	3	2000	CU			
08	045	2	10	SCT	29.95	87	73	4	2000	CU			
09	045	2	10	SCT	29.96	84	74	4	2000	CU			
10	050	3	10	BKN	29.95	88	76	5	2000	ST			
11	040	2	10	BKN	29.95	89	76	7	2000	ST			
12	040	3	10	BKN	29.95	89	76	6	2000	ST			
13	045	3	10	SCT	29.94	90	75	7	2000	CU			
14	045	3	10	SCT	29.92	90	75	5	2000	CU			
15	045	3	10	SCT	29.90	90	75	4	2000	CU			
16	045	3	10	SCT	29.92	89	75	4	2000	CU			
17	045	3	10	SCT	29.92	87	75	4	2000	CU			
18	045	3	10	SCT	29.92	84	75	4	2000	CU			
19	045	3	10	SCT	29.92	83	74	4	2000	CU			
20	010	3	10	SCT	29.91	82	73	4	2000	CU			
21	010	3	10	SCT	29.90	81	73	4	2000	CU			
22	010	3	10	SCT	29.90	80	73	4	2000	CU			
23	010	4	10	SCT	29.90	79	72	4	2000	CU			
24	010	3	10	SCT	29.90	78	72	4	2000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 290

REMARKS

00-04 Moored starboard side to in berth A-3 US Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke (Modified) is set. Receiving potable water and telephone services from the pier. Ships present include various units of the US Pacific Fleet, Destroyer and Yard Craft. Sopa is Unchanged.

C. P. McKenzie, Ens, USNR

04-08 Moored as before. 0703 Made daily inspection of the magazines. Conditions: Normal.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Rosen, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SUNDAY (Day) 13 (Date) JUNE (Month) 19 44

ØØ-12 MOORED AS BEFORE. ØØØØ MUSTERED CREW ON STATIONS: ABSENTEES NONE

F E Horton
LTJG USN

12-16 MOORED AS BEFORE

F E Horton
LTJG USN

16-2Ø MOORED AS BEFORE. 18ØØ SET MODIFIED MATERIAL CONDITION YOKE.

F E Horton
LTJG USN

2Ø-24 MOORED AS BEFORE

F E Horton
LTJG USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R S Mason, Jr. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI A TF 96 ZONE DESCRIPTION +10 DATE MONDAY (Day) 15 (Date) JUNE (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	BKN	2990	76	72	7	2000	SC			
02	040	2	10	BKN	2991	76	73	7	2000	SC			
03	040	2	10	BKN	2991	77	73	7	2000	SC			
04	040	3	8	BKN	2992	77	73	7	2000	SC			
05	040	4	8	BKN	2992	78	73	7	2000	SC			
06	040	3	8	BKN	2992	77	73	7	2000	SC			
07	050	3	10	BKN	2990	78	73	7	2000	SC			
08	051	3	10	BKN	2988	79	73	6	2000	SC			
09	055	12	10	BKN	2988	80	73	6	2000	SC			
10	060	14	10	BKN	2988	81	73	6	2000	SC			
11	080	11	10	BKN	2988	81	73	7	2000	ST			
12	080	17	10	BKN	2988	81	73	8	2000	ST			
13	085	16	10	L	2986	80	73	10	2000	ST			
14	085	15	10	BKN	2984	79	73	8	2000	ST			
15	085	14	10	BKN	2987	78	74	8	2000	ST			
16	070	13	10	BKN	2988	77	74	7	2000	SC			
17	070	12	10	BKN	2985	77	74	7	2000	SC			
18	040	7	10	BKN	2989	76	74	7	2000	SC			
19	040	5	10	BKN	2990	75	74	7	2000	SC			
20	040	4	10	BKN	2991	74	74	7	2000	SC			
21	040	4	10	BKN	2990	74	73	7	2000	SC			
22	040	4	10	BKN	2989	73	73	7	2000	SC			
23	040	4	10	BKN	2988	72	73	7	2000	SC			
24	040	4	10	BKN	2989	74	74	7	2000	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 37.6

FUEL CONSUMED 0000-2400: 310

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH ALFA-THREE, US NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. MODIFIED MATERIAL CONDITION YOICE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

J E Hartzog
LTJG USN

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE. H.A., 5346100, BM3, USN SINCE 0745 THIS DATE. 0750 SET THE SPECIAL SEA DETAIL. 0752 COMPLETED ALL PREPARATIONS FOR GETTING UNDERWAY. DRAFT: FORWARD 13'6" AFT 16'6". UNDERWAY IN COMPLIANCE WITH COMTHIRDFLT OP-ORDER 25-64.

APPROVED: C C Reed Jr. U. S. N. COMMANDING

EXAMINED: R S Rosen, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 15 (Date) June (Month), 1964

04-08 (Con't) Maneuvering to clear the pier. Captain and Navigator on the bridge. 0740 Steering various courses at various speeds standing out of Pearl Harbor. Came to base course 156°, base speed 6.7 kt. 0747 Set Readiness Condition III

J. E. Hall, Ltjg, USNR

04-08 (Con't) UNDERWAY AS BEFORE, 0750 C/S 9.0 KTS. C/C 097°, 0759 C/C 110°, ENTERED INTERNATIONAL WATERS. SECURED THE Special SEA + ANCHOR DETAIL.

J. L. Hollis, CWO2, USN

08-12 UNDERWAY AS BEFORE. 0801 C/C 105°, 0803 C/S 9.5 KTS. 0804 C/S 14.3 KTS. 0806 C/C 110°, 0816 C/C 100°, 0820 C/C ~~0822 C/C~~ 107°, 0828 C/C 113°, 0832 C/C 115°, 0853 C/C 125°, 0858 C/C 190°, 0859 C/S 9.0 KTS, C/C 290°, 0900 COMMENCED EXERCISE Z-10-CC, USS GRASP (ARS-24) ASSISTING. 0927 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS NORMAL. 1002 COMPLETED EXERCISE Z-10-CC, C/S 12.3 KTS, C/C 097°, 1022 C/C 032°, C/S 9.5 KTS. 1025 Set the ANCHOR DETAIL, COMMENCED APPROACH TO SOUTH HONOLULU ANCHORAGE #208, STEERING VARIOUS COURSES AND SPEEDS CONDUCTING EXERCISE Z-6-N. Captain AND NAVIGATOR ARE ON THE BRIDGE. 1047 ANCHORED WITH 45 FATHOMS OF CHAIN TO PORT ANCHOR, FOURTEEN FATHOMS OF WATER, GRAY SAND BOTTOM. 1056 UNDERWAY, CONTINUEING Z-6-N. 1127 ANCHORED IN ANCHORAGE #208, TO PORT ANCHOR, FORTY ~~FIVE~~ FATHOMS OF CHAIN ON DECK, ON THE Following BEARINGS. ABRO BEACON 313.5°, ALOHA TOWER 001°, KGU TOWER 035°, 1130 Secured THE ANCHOR DETAIL + UNDERWAY watches.

J. L. Hollis, CWO2, USN

12-16 ANCHORED AS BEFORE 1235 SET THE ANCHOR DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE OOD HAS THE Con'd. 1240 HEAVED IN TO SHORT STAY. 1241 COMMENCED HEAVING AROUND AND UP. 1245 ANCHOR'S AWEIGH. P/A 1/3 R30° RUDDER 1247 STEADY ON COURSE 215° P/A FULL 12.3 KTS. 1255 C/C TO Φ35° C/S TO 5 KTS. 1308 C/C TO Φ32° 1314 C/C TO Φ34° 1312 C/C TO Φ35°. 1315 C/S TO 3 KTS. 1318 P/E STOP C/C TO Φ39° 1319 P/B 2/3 P/E STOP 1324 LET GO PORT ANCHOR IN 14 FATHOM OF WATER GRAY SAND BOTTOM. HOLDING AT 30 FATHOM ON DECK. ANCHORED ON FOLLOWING BEARINGS - PINEAPPLE TOWER 349.5° AFTER RANGE Φ38, KGU TV TOWER Φ95°. 1322 COMMENCED HEAVING ANCHOR UP. 1325 ANCHORS AWEIGH P/A 3 KTS R/FULL RUDDER. 1328 STEADY 210° C/C TO 12.3 KTS. 1335 C/C TO Φ35° COMMENCED MANEUVERING TO APPROACH ANCHORAGE 208 1358 LET GO PORT ANCHOR IN 14 FATHOMS OF WATER, GRAY SAND BOTTOM, ON THE FOLLOWING BEARINGS. PINEAPPLE TOWER 348° - AFT RANGE Φ36° KGU TV TOWER Φ95° HOLDING AT SHORT STAY. 1402 COMMENCED HEAVING AROUND AND UP. 1403 ANCHORS AWEIGH. ~~S~~ P/E AHEAD 1/3 C/C TO ~~Φ35°~~ 1405 C/S TO 12.3 KTS. 1415 C/C TO Φ35° SH

APPROVED: C. C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R. S. Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) (Date) (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 15 (Date) JUNE (Month), 1964

12-16 (CON'T) COMMENCED MANEUVERING TO APPROACH ANCHORAGE 208 1455 LET GO PORT ANCHOR IN 14 FATHOM OF WATER - GREY SAND BOTTOM ON THE FOLLOWING BEARINGS, PINEAPPLE TOWER 347° AFT RANGE 033° KGU TV TOWER 095° HOLDING AT SHORT STAY. 1457 COMMENCED HEAVING AROUND AND UP. 1500 ANCHORS AWIEGH A/A 1/3 C/C TO 210° C/S TO 12.3 KTS. 1509 C/C TO 035° C/S TO 5 KTS. COMMENCED MANEUVERING TO APPROACH ~~208~~ ANCHORAGE 208. 1525 LET GO PORT ANCHOR IN 14 FATHOM OF WATER, GREY SAND BOTTOM ON THE FOLLOWING BEARINGS. PINEAPPLE TOWER 348° AFT RANGE 036° KGU TV TOWER 095° 1526 COMMENCED HEAVING AROUND AND UP. 1528 ANCHOR AWIEGH A/A 1/3 C/C TO 215 1530 C/S TO 12.3 KTS. 1540 COMMENCED MANEUVERING VARIOUS COURSES AND SPEED WHILE EXERCISING AT MAN OVERBOARD DRILL. SEA

L E Horton
LTJG USN.

16-20 MANEUVERING AS BEFORE. 1750 SECURED FROM MAN OVERBOARD DRILLS. ON COURSE 250° A/A 9.5 KTS

L E Horton
LTJG USN.

16-20 (CON'T) ~~MANEUVERING~~ 1754 UNDERWAY AS before. C/C to 340° 1756 C/C to 342°. 1800 C/C to 345° 1802 C/C to 333° C/S to 12.3 KT. 1804 C/C to 340°. Entered Inland Waters. 1809 Set the special sea and Anchor detail. 1810 C/C to 333° 1815 Passed buoy #2 to starboard 100 yards. Maneuvering various courses at various speeds while conforming to Pearl Harbor channel. 1834 Moored starboard side to (USS) Lipan (ATF-85) berth Alfa three, US Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Ships present include units of the U.S. Pacific Fleet, various district and commerical craft. 1846 Secured the special sea and anchor detail 2H 2H

J. A. Hall
Ltjg USNR

16-20 (CON'T) MOORED AS BEFORE - 1905 MUSTERED THE DUTY FIRE PARTY. ABSENTEES: NONE. SET MATERIAL CONDITION YOKE (modified)

J. A. Hollis, CWO2, USN

20-24 MOORED AS BEFORE:

J. A. Hollis, CWO2 - USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Nason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE TUESDAY (Day) 16 (Date) JUNE (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	030	4	10	Sct	2989	78	72	4	2000	Cu			
02	030	4	10	Sct	2989	77	72	4	2000	Cu			
03	030	4	10	Sct	2990	77	72	4	2000	Cu			
04	040	3	10	Sct	2988	78	72	4	2000	Cu			
05	040	3	10	Sct	2987	79	73	4	2000	Cu			
06	030	3	10	Sct	2988	80	74	4	2000	Cu			
07	030	3	10	Sct	2990	81	74	4	2000	Cu			
08	030	3	10	Sct	2991	82	74	4	2000	Cu			
09	040	3	10	Sct	2992	82	74	4	2000	Cu			
10	040	3	10	Sct	2992	82	74	4	2000	Cu			
11	040	3	10	Sct	2993	81	74	4	2000	Cu			
12	040	3	10	Sct	2994	80	74	4	2000	Cu			
13	040	4	10	Sct	2994	81	75	4	2000	Cu			
14	040	4	10	Sct	2993	82	75	4	2000	Cu			
15	040	4	10	Sct	2992	81	75	4	2000	Cu			
16	040	4	10	Sct	2991	81	74	4	2000	Cu			
17	030	4	10	Sct	2990	81	74	4	2000	Cu			
18	030	4	10	Sct	2990	81	75	4	2000	Cu			
19	030	4	10	Sct	2990	80	75	4	2000	Cu			
20	040	4	10	Sct	2989	80	76	4	2000	Cu			
21	040	4	10	Sct	2989	80	76	4	2000	Cu			
22	040	4	10	Sct	2989	80	76	4	2000	Cu			
23	040	4	10	Sct	2989	80	76	4	2000	Cu			
24	040	4	10	Sct	2990	79	76	4	2000	Cu			

POSITION	ZONE	TIME
0800 L ____ BY ____		
λ ____ BY ____		
1200 L ____ BY ____		
λ ____ BY ____		
2000 L ____ BY ____		
λ ____ BY ____		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400: 43.0

FUEL CONSUMED 0000-2400: 640

REMARKS

00-04 MOORED STBD. SIDE TO AND OUTBOARD OF U.S.S. LIPAN (ATF-85) ~~IN A NEST OF TWO SHIPS~~ WITH STD. MOORING LINES DOUBLED. LIPAN MOORED STBD. SIDE TO ALFA THREE (A-3) BERTH, U.S. NAVAL STATION, PEARL HARBOR, HAWAII. MATERIAL CONDITION YOKE (modified) SET. RECEIVING TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, DISTRICT AND SMALL CRAFT. SOPA IS CINCPAC FLT.

J.D. Hollis, CWO-2-USN

04-08 MOORED AS BEFORE. 0645 MUSTERED THE CREW AT QUARTERS, ABSENTEES: None - 0700 COMMENCED PREPERATIONS FOR GETTING UNDERWAY - 0710 SET THE SECTIONAL SEA AND ANCHOR DETAIL. 0715 Completed all preparations for getting underway. Draft: forward 13'6", aft 16'6". 0730 Underway in compliance with COMTRAGrp OP-Order 25-64. Maneuvering to clear the pier. Captain and navigator on the bridge. 0735 Set

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Nason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP AGNAKI (ATF-96) Tuesday (Day) 16 (Date) June (Month), 19 64

Readiness Condition III, section I. 0738 Came to base course 155°, base speed 9kt. 0739 maneuvering on various courses while standing out of Pearl Harbor channel.

J. A. Hall
Lt jg USNR

08-12 ~~Moored~~ Underways before. 0838 Exercised the crew at General Quarters, maneuvering various courses at various speeds while conducting fleet training battle problem. Entered international waters. 0848 Set material condition Zebra. 0957 Set Material Condition Yoke 1004 Secured the crew from General Quarters. Set base course 333°, base speed 3.3 kt. 1009 Steering various courses at various speeds while standing into Pearl Harbor. 1014 Entered Pearl Harbor 1031 Set the special sea and anchor detail. 1040 Captain has the Conn. 1057 Moored portside to Pier Alpha three, U.S. Naval Station, Pearl Harbor, Hawaii with six standard mooring lines doubled. 1101 Made daily inspection of magazines. Conditions: Moored. 1118 Secured the special sea and anchor detail.

J. A. Hall
Lt jg USNR

12-16 Moored as before. 1322 Commenced Emergency pumping exercise. 1500 Secured from emergency pumping exercise
R D Mason, Sltjg, USNR

16-20 Moored as before. 1800 Set material condition Yoke (Modified)
R D Mason, Sltjg, USNR

20-24 Moored as before.
R D Mason, Sltjg, USNR

APPROVED: C C Reed Jr. U. S. N. COMMANDING

EXAMINED: R D Mason, Sltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY 17 JUNE 1964
(Day) (Date) (Month)

16-20 (CONT) ON THE FOLLOWING BEARINGS: KGU 029, LAROUND 069, T.V. TOWER 096. 1745 HEAVED AROUND AND UP ON STARBOARD ANCHOR. 1750 COMPLETED 2-14-CC. 1757 C/C TO 210°. C/S TO 10 KTS. 1758 ENTERED INTERNATIONAL WATERS. 1802 C/C 275. 1821 C/C 335. 1823 C/C 340, ENTERED INLAND WATERS. 1829 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1831 COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1838 PASSED BUOY 2 ABEAM TO STARBOARD. 1834 PASSED BUOY 4 ABEAM TO STARBOARD. 1843 PASSED BUOY 6 ABEAM TO STARBOARD 1851 COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO APPROACH AND MOOR BERTH A-3. 1855 MOORED OUTBOARD USS LIPAN (ATF-85) BERTH A-3, U.S NAVAL STATION PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. 1902 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

J E Horton LTJG USN

16-20 (CONT) Moored as before.

C. P. McKenzie, Ens, USNR

20-24 Moored as before.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ACUAKI (ATF-96) ZONE DESCRIPTION +10 W DATE Wednesday / 17 (Day) (Date) June (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	Sct	2990	78	73	4	2000	Cu			
02	040	3	10	Sct	2991	77	73	3	2000	Cu			
03	040	3	10	Sct	2992	77	73	3	2000	Cu			
04	040	3	10	Sct	2990	78	73	3	2000	Cu			
05	040	3	10	Sct	2991	79	73	3	2000	Cu			
06	040	3	10	Sct	2992	80	74	3	2000	Cu			
07	035	3	10	Sct	2991	81	75	3	2000	Cu			
08	035	3	10	Sct	2990	82	75	3	2000	Cu			
09	042	3	10	Sct	2989	82	75	3	2000	Cu			
10	045	3	10	Sct	2989	83	75	3	2000	Cu			
11	040	3	10	Sct	2990	84	75	3	2000	Cu			
12	040	3	10	Sct	2991	84	75	3	2000	Cu			
13	040	3	10	Sct	2992	84	75	3	2000	Cu			
14	040	3	10	Sct	2992	84	75	3	2000	Cu			
15	040	3	10	Sct	2991	83	75	3	2000	Cu			
16	040	3	10	Sct	2991	82	75	3	2000	Cu			
17	040	3	10	Sct	2992	81	75	3	2000	Cu			
18	040	3	10	Sct	2994	80	74	3	2000	Cu			
19	040	3	10	Sct	2993	80	74	3	2000	Cu			
20	040	3	10	Sct	2992	80	74	3	2000	Cu			
21	040	3	10	Sct	2991	79	74	2	2000	Cu			
22	040	3	10	Sct	2991	78	73	2	2000	Cu			
23	040	3	10	Sct	2992	77	72	3	2000	Cu			
24	040	3	10	Sct	2991	77	71	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 103.0

FUEL CONSUMED 0000-2400: 1328

REMARKS

00-04 Moored starboard side to berth A-3, U.S. NAVY Station, Pearl Harbor, Hawaii with Standard mooring lines doubled. Receiving fresh water and telephone services from the pier. Material condition Yoke modified is set. Ships present include various units of the U.S. Pacific Fleet, Yard and district craft. SOPA is CINCPACFLT.

RS Mason, Ltjg, USNR

04-08 Moored as before. 0545 Mustered the crew at quarters: Absentees: none. 0600 Commanding officer, USS Conserver with observers on board to conduct an Operational Readiness Inspection. 0600 Commenced making preparations for getting underway. 0610 Set the sectional sea detail. 0625 Completed making all preparations for getting underway; draft fwd 13'10, aft 16'13". Captain and Navigator on the bridge. OOD has the conn. 0630 Underway for Op Area G-2,64 in accordance with COMFLTRAGRU, Pearl Op Ord 25-64. 0632 Commenced steering various courses at various speeds while clearing the berth and conform to Pearl Harbor Channel. 0639 Passed buoy 5

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: RS Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP USS ABNAKI ATF-96 WEDNESDAY (Day) 17 (Date) JUNE (Month), 19 64

04-08 (CON'T) abeam to starboard. 0646 Secured the sectional sea detail. 0648 C/S TO 12.3 KTS; buoy #1 passed abeam to ~~starboard~~ starboard. 0657 C/C TO 150°. 0659 C/C to 212. 0718 Commenced Engineering Casaulty control drills. 0721 C/S to 12.8 KTS. 0738 Secured from engineering casaulty control drills. 0742 C/C to 208

D S Nason, Stgy., USNR

08-12 underway as before. 0850 C/C to 250. 0858 Exercised the crew at General Quarters; Set material condition Zebra. 0928 Commenced Z-3-G exercise. 0929 C/C to 250, C/S TO 10 KTS. 0943 COMMENCED firing to STARBOARD. 0944 Cease fire. 0951 Secured from Z-3-G. Ammunition expended: 7 rounds 3"/50 VT Non Frag. 0958 C/C to 265°. 1000 Commenced maneuvering on various courses at various speed to recover target sleeve. 1005 Target sleeve recovered. 1006 C/C to 060 C/S 10 KTS. 1012 C/S to 13.3 KTS. ~~Com~~ 1010 Commenced maneuvering on various courses at various speeds to take firing station on series 40 target sled. 1100 Commenced Z-21-G. 1105 Commenced firing. 1108 Ceased fire. Ammunition expended: 8 rounds VT Non Frag. 1109 ~~Commen~~ completed exercise Z-21-G. 1124 Commenced Z-30-G exercise. 1147 Commenced firing. 1149 Ceased fire. 1156 Secured from General Quarters. Ammunition expended: 5 rounds VT NON-Frag; C/C 060

J A Hall Ltjg, USNR

12-16 Underway as before. 1204 Made daily inspection of magazines ~~and~~ ~~smokeless pc~~ conditions normal. 1306 C/C to 035. 1347 C/S 13.7 KTS. 1400 Commenced modified full power run. 1408 C/C 090. 1411 C/C to 105. 1447 C/C TO 270°. 1457 C/C 300°. 1500 Secured from full power run. 1502 Exercised the crew at general quarters. 1505 Material condition Zebra is set. 1506 C/S to 6.7 KTS. 1507 Commenced Damage CONTROL exercises. 1510 Rocket hit aft simulated. 1529 C/C 036. 1534 secured from Damage control exercises. 1537 Secured from General Quarters; Material condition Yoke set. 1542 C/S 5 KTS. 1542 COMMENCED Z-5-N exercise.

C. P. McKenzie, Ens, USNR

16-20~~00~~. Underway as before. 1600 SET the anchor detail. 1606 ENTERED inland waters. 1607 COMMENCED STEERING VARIOUS COURSES AT VARIOUS speeds while approaching anchorage. 1631 Anchored in anchorage 206 SOUTH Honolulu Operating area in 14 fathoms of water, sand coral bottom with 45 fathoms of chain to the starboard anchor on the following bearings: Pineapple Tower 348°, AFTER RANGE 034°, T.V. TOWER 097°. 1634 Completed Z-5-N exercise. 1645 Heaved around and up on starboard anchor. 1648 Underway 1650 C/C TO 180°. 1658 Commenced Z-1-N exercise. 1700 C/C TO 170.M 1706 C/C to 246.M 1707 ENTERED INTERNATIONAL waters. 1719 Secured from Z-1-N. 1721 COMMENCED Z-14-CC.

Leslie E Horton Ltjg USN

16-20 (CON'T) underway as before. 1726 ENTERED inland waters. 1726 COMMENCED STEERING VARIOUS COURSES AT VARIOUS speeds while approaching anchorage. 1743 Anchored in anchorage 206 SOUTH Honolulu Operating area. in 14 fathoms of water, sand coral bottom with 45 fathoms of chain to STARBOARD Anchor

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Nason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE ~~WEDNESDAY~~ THURSDAY 18 ~~17~~ JUNE (Day) (Date) (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	030	2	10	Sct	2989	79	75	3	2000	Cu			
02	210	2	10	Sct	2990	79	75	3	2000	Cu			
03	010	4	10	Sct	2991	78	75	3	2000	Cu			
04	010	4	10	Sct	2993	78	75	3	2000	Cu			
05	020	2	10	Sct	2993	79	74	3	2000	Cu			
06	020	2	10	Sct	2992	80	74	3	2000	Cu			
07	020	2	10	Sct	2993	80	73	3	2000	Cu			
08	020	2	10	Sct	2993	81	73	3	2000	Cu			
09	035	2	10	Sct	2994	82	72	3	2000	Cu			
10	035	2	10	Sct	2995	83	72	2	2000	Cu			
11	035	7	10	Sct	2995	84	72	2	2000	Cu			
12	035	2	10	Sct	2995	84	72	2	2000	Cu			
13	035	2	10	Sct	2995	84	71	2	2000	Cu			
14	035	2	10	Sct	2994	85	70	2	2000	Cu			
15	035	2	10	Sct	2993	85	71	2	2000	Cu			
16	030	2	10	Sct	2992	84	71	2	2000	Cu			
17	030	2	10	Sct	2991	82	71	2	2000	Cu			
18	030	3	10	Sct	2992	81	71	2	2000	Cu			
19	030	3	10	Sct	2993	80	71	2	2000	Cu			
20	030	3	10	Sct	2994	80	71	2	2000	Cu			
21	030	4	10	Sct	2993	79	71	2	2000	Cu			
22	030	4	10	Sct	2993	79	71	2	2000	Cu			
23	030	4	10	Sct	2992	79	72	2	2000	Cu			
24	030	4	10	Sct	2993	78	72	2	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
38.7

FUEL CONSUMED 0000-2400
1160

REMARKS

ØØ-Ø4 Moored starboard side to USS Lipan (ATF-85), Lipan Moored starboard side to in berth Alfa Three U.S. Naval Base Pearl Harbor, Hawaii. Material Condition Yoke modified in set. Receives telephone services from the pier. Ships present include various Units of the U.S. Pacific Fleet district and yard craft. SOPA is Lipan pet.

C. P. McKenzie, Ens, USNR

Ø4-Ø8 Moored as before. Ø615 Mustered the crew on stations. Absentees: None. Ø630 Commenced making preparations for getting underway. Ø64Ø Set the special Sea and anchor detail. Ø65Ø Completed all preparations for getting underway. Draft: forward 13', aft 16'5". ØØØØ-Ø7ØØ In Underway for local op-areas in accordance with Comfltforgy Op order 25-64 Maneuvering to clear the berth. Captain and

APPROVED: EXAMINED:

U. S. N. COMMANDING U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Thursday (Day) 18 (Date) June (Month), 1964

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	030	2	10	Sct	2989	79	75	3	2000	Cu			
02	010	2	10	Sct	2990	79	75	3	2000	Cu			
03	010	4	10	Sct	2991	78	75	3	2000	Cu			
04	010	4	10	Sct	2993	78	75	3	2000	Cu			
05	020	2	10	Sct	2993	79	74	3	2000	Cu			
06	020	2	10	Sct	2993	80	74	3	2000	Cu			
07	020	2	10	Sct	2993	80	73	3	2000	Cu			
08	020	2	10	Sct	2994	80	73	3	2000	Cu			
09	035	2	10	Sct	2995	81	72	3	2000	Cu			
10	035	2	10	Sct	2995	82	72	2	2000	Cu			
11	035	7	10	Sct	2995	83	72	2	2000	Cu			
12	035	2	10	Sct	2995	84	71	2	2000	Cu			
13	035	2	10	Sct	2995	84	70	2	2000	Cu			
14	035	2	10	Sct	2994	84	70	2	2000	Cu			
15	035	2	10	Sct	2993	85	71	2	2000	Cu			
16	030	2	10	Sct	2992	85	71	2	2000	Cu			
17	030	3	10	Sct	2991	84	72	2	2000	Cu			
18	030	3	10	Sct	2992	82	72	2	2000	Cu			
19	030	3	10	Sct	2993	81	72	2	2000	Cu			
20	030	4	10	Sct	2994	80	72	2	2000	Cu			
21	030	4	10	Sct	2994	79	72	2	2000	Cu			
22	030	4	10	Sct	2994	79	72	2	2000	Cu			
23	030	4	10	Sct	2993	79	72	2	2000	Cu			
24	030	4	10	Sct	2993	78	71	2	2000	Cu			

POSITION	ZONE	TIME
0800 L ____ BY ____		
λ ____ BY ____		
1200 L ____ BY ____		
λ ____ BY ____		
2000 L ____ BY ____		
λ ____ BY ____		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400: 38.7

FUEL CONSUMED 0000-2400: 1160

REMARKS

00-04 Moored starboard side to USS Lipan (ATF-85), Lipan moored starboard side to in berth Alfa Three (A-3) US Naval Base, Pearl Harbor, Hawaii. Material condition yoke modified is set. Receiving telephone services from the pier. Ships present include various units of the US Pacific Fleet, district and yard craft. Sopa is Anc Pac Flt.

C.P. McKenzie, Ens, USMR

04-08 Moored as before. 0615 mustered the crew on stations absentees none. 0630 Commenced making preparations for getting underway. 0640 set the special sea and anchor detail. 0650 completed all preparations for getting underway. Draft: forward 13' 8", aft 16' 5". 0700 underway for local op-areas in accordance with Comfettraqu op-order 25-64. Maneuvering to clear the berth. Captain and Navigator are on the bridge. 0704 Steering various courses at various speeds while standing out of Pearl Harbor.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Nasen, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP USS ABNAKI ATF-96 THURSDAY (Day) 18 (Date) JUNE (Month), 19 64

04-08 (Continued) 0705 bouy #9 abeam to stbd. 0706 Bouy 7 abeam to starboard 0709 bouy 5 abeam to stbd. 0711 bouy 3 abeam to stbd. 0713 bouy 13 abeam to stbd 0728 Entered international waters. 0731 c/c to 122° 0743 c/c to 089°.

C.P. McKenzie, Ens, USMR

08-12 Underway as before. 0815 Commenced tactical exercises with USS Lipan (ATF-85) 0816 c/c 290° C/S to 9 kts. 0859 Made daily inspection of magazines. Conditions: normal. 0921 Entered inland Waters. 0928 Completed tactical exercises. c/c to 180°. 0930 c/c to 090, c/s to 12 kt. 0932 c/c to 120°. 0933 Held man-overboard drill. steering various courses at various speeds. 0947 Captain has the Conn. 0955 000 has the Conn. Secured from Man-overboard drill. Come to base course 095°; base speed 9 kt. 0956 c/s to 12 kt. Made daily inspection of magazines. Conditions: Normal. 0957 c/c to 100° 1001 Set the towing detail. c/c to 096° 1006 c/c to 099. 1010 Commenced towing exercise with USS Lipan (ATF-96), steering various courses at various speeds. 1020 Captain has the Conn. 1036 Entered international waters. 1146 Completed towing exercise. Secured the towing detail. 1150 Steadied on base course 281°; base speed 6.7 kt.

J A Hall
Ltjg USNR

12-16 Underway as before 1222 c/c to 333° 1223 c/c to 338°. 1224 Set the special sea and anchor detail. Captain & navigator are on the bridge. 1237 Bouy 2 abeam to stbd. steering various courses at various speeds while entering Pearl Harbor and mooring alfa 3. 1243 Bouy 4 abeam to stbd. 1246 bouy 6 abeam to stbd. 1251 Captain has the Conn. 1301 Moored starboard side to in berth ~~alfa~~ alfa 3 US Naval Base Pearl Harbor Hawaii with starboard mooring lines doubled SOPA & Cinc Pac Flt. 1306 Secured the special sea and anchor detail.

Ens C.P. McKenzie, USMR

12-16 (CONT) MOORED AS BEFORE 1326 EXERCISED DUTY SECTION AT FIRE DRILL 1345 SECURED FROM FIRE DRILL. 1352 COMMENCED Z-42-S PUMPING EXERCISE.

L E Horton LTJG USN

16-20 MOORED AS BEFORE. 1615 SECURED FROM Z-42-S-PUMPING EXERCISE. 1800 SET MATERIAL CONDITION YOKE MODIFIED.

L E Horton
LTJG USN

20-24 MOORED AS BEFORE.

L E Horton
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE FRIDAY (Day) 19 (Date) JUNE (Month), 19 64

AT/~~PASSAGE~~ FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	clr	2992	77	72						
02	040	2	10	clr	2993	77	72						
03	040	2	10	clr	2993	78	72						
04	040	2	10	clr	2994	78	72						
05	040	2	10	sct	2994	78	74	1	1000	Cu			
06	040	2	10	sct	2995	79	74	1	2000	Cu			
07	040	2	10	sct	2995	80	74	2	2000	Cu			
08	040	2	10	sct	2995	80	74	2	2000	Cu			
09	040	2	10	sct	2994	81	73	2	2000	Cu			
10	040	2	10	sct	2993	81	73	2	2000	Cu			
11	030	2	10	sct	2993	82	73	2	4000	Cu			
12	030	2	10	sct	2993	84	74	2	2000	Cu			
13	030	2	10	sct	2993	86	74	2	2000	Cu			
14	030	2	10	sct	2993	86	74	2	2000	Cu			
15	030	2	10	sct	2993	87	74	2	2000	Cu			
16	030	2	10	sct	2993	86	74	2	2000	Cu			
17	030	2	10	sct	2994	85	74	2	2000	Cu			
18	030	2	10	sct	2994	84	74	2	2000	Cu			
19	030	2	10	sct	2993	83	74	2	2000	Cu			
20	030	2	10	sct	2993	81	74	2	2000	Cu			
21	030	2	10	sct	2993	80	73	2	2000	Cu			
22	030	2	10	sct	2993	80	73	2	2000	Cu			
23	030	2	10	sct	2993	79	72	2	2000	Cu			
24	030	2	10	sct	2993	78	72	2	2000	Cu			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 14.0

FUEL CONSUMED 0000-2400: 235

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH ALFA THREE, US NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

J E Hoxton
LTJG USN

04-08 MOORED AS BEFORE. 0630 MUSTERED CREW AT QUARTERS ABSENTEES: NONE. COMMENCED PREPARATIONS FOR GETTING UNDER WAY DRAFT FWD 13'9" AFT 16'5" 0700 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE DECK AND CONN. 0730 UNDERWAY FROM BERTH ALFA THREE ENROUTE TO LOCAL OP. AREA IN ACCORDANCE WITH COMFLTRAGRU ORDER ORD 25-64. MANEUVERING VARIOUS COURSES

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Rosen, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 19 (Date) JUNE (Month) 1964

04-08(CONT) AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 0734 SET CONDITION THREE WATCHES.
J E Horton LTJG USN.

04-08(Cont)Underway as before. 0737 c/c to 155° 0742 c/c to 8 kts. 0743 Set condition Zebra in engineering spaces. 0744 c/c 158°, set mine lookout. 0747 c/c 197°, began steering various courses to conform with simulated mine field channel. 0837 Came to base course 180° base speed 10kt. 0840 Exercised the crew at General Quarters, in Compliance with COMTHIRDFLT battle problem. 0842 Set Condition Zebra, began steering various courses at various speeds while conducting battle problem. 1003 Set material condition Yoke. 1014 Secured the crew from General Quarters. 1015 Set the special sea and anchor detail. Came to base course 010° base speed 9.5 kt. 1017 Entered inland waters. 1019 c/c to 333° 1025 Began steering various courses while conforming to Pearl Harbor Channel. Passed buoy #2 abeam to starboard 100 yards. 1027 Passed buoy #4 abeam to starboard 100 yards. 1029 Passed ~~buoy~~ buoy #6 abeam to starboard 100 yards. 1041 Moored starboard JH side to Pier Alfa Three, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. ~~1047 Secured th~~ JH

J A Hall
Ltjg USNR

08-12 (CONTINUED) 1042 MANEUVERING TO TIGHTEN ALL MOORING LINES. 1047 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. SET THE REGULAR INPORT WATCH. 1058 ASSEMBLED THE CREW FOR O.R.I CRITIQUE. 1121 SECURED FROM O.R.I. CRITIQUE. MADE DAILY INSPECTION OF MAGAZINES, TESTED SPRINKLER SYSTEM. CONDITIONS & TEST NORMAL.
J.C. Hollis. CWO 2-USN

12-16 MOORED AS BEFORE.

J.C. Hollis, CWO-2, USN

16 1620 - MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE JCH (Modified) 1830 MUSTERED THE DUTY SECTION. ABSENTEES: NONE.

J.C. Hollis. CWO 2

20-24 MOORED AS BEFORE.

J.C. Hollis, CWO-2-USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: P S Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10(W) DATE Saturday (Day) 20 (Date) June (Month), 1964

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	4	10	CLR	2992	77	72						
02	040	4	10	CLR	2993	77	72						
03	040	4	10	CLR	2993	77	72						
04	040	4	10	CLR	2994	78	72						
05	040	4	10	Sct	2994	79	72	3	1800	Cu			
06	040	4	10	Sct	2993	80	73	3	1800	Cu			
07	040	4	10	Sct	2993	80	73	~	1800	Cu			
08	040	4	10	Sct	2993	80	73	~	2000	Cu			
09	040	4	10	Sct	2994	81	73	~	2000	Cu			
10	040	6	10	Sct	2995	82	73	1	2000	Cu			
11	035	6	10	Sct	2995	83	75	1	2000	Cu			
12	035	6	10	Sct	2994	83	74	1	2000	Cu			
13	025	6	10	Sct	2994	83	74	1	2000	Cu			
14	025	6	10	Sct	2993	83	74	1	2000	Cu			
15	025	4	10	Sct	2993	83	74	1	2000	Cu			
16	030	4	10	Sct	2993	82	74	1	2000	Cu			
17	030	4	10	Sct	2993	81	74	1	2000	Cu			
18	030	4	10	Sct	2993	80	74	1	2000	Cu			
19	030	4	10	Sct	2993	80	74	1	2000	Cu			
20	030	4	10	Sct	2993	80	74	1	2000	Cu			
21	030	4	10	Sct	2994	78	74	1	2000	Cu			
22	030	4	10	Sct	2994	79	74	1	2000	Cu			
23	030	4	10	Sct	2993	79	74	1	2000	Cu			
24	030	4	10	Sct	2992	79	74	1	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
137

REMARKS

00-04 Moored starboard side to berth ALFA Three (A-3) U.S. NAVAL STATION, PEARL HARBOR, HAWAII with standard mooring lines doubled. MATERIAL CONDITION YOKE (Modified) set. Receiving potable water ~~from~~ and telephone services from the pier. FOH ships present include various units of the U.S. Pacific Fleet, district and small craft. SOPA is CinCPacFlt.

J. C. Hollis, CWO2-USN

04-08 Moored as before. 0745 Mustered the crew ~~at~~ on ~~det~~ STATIONS. Absentees: none.

J. C. Hollis, CWO2-USN

APPROVED: C. C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R. S. Mason, Stg. U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ANAKA (ATF-96) Saturday (Day) 20 (Date) June (Month), 19 64

08-12 Moored as before. 0841 made daily inspection of of magazines. Conditions: Normal.

J. A. Hall
Ltjg USNR

12-16 Moored as before.

J. A. Hall
Ltjg USNR

16-20 Moored as before. 1800 Set material Condition Yoke (modified)

J. A. Hall
Ltjg USNR

20-24 Moored as before

J. A. Hall
Ltjg USNR

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R S Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE Sunday (Day) 21 (Date) June (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	010	4	10	Sct	2993	77	72	2	2000	Cu			
02	010	4	10	Sct	2992	77	72	2	2000	Cu			
03	010	5	10	Sct	2993	77	72	2	2000	Cu			
04	010	5	10	Sct	2994	77	72	2	2000	Cu			
05	010	5	10	Sct	2994	78	73	2	2000	Cu			
06	010	5	10	Sct	2994	78	73	2	2000	Cu			
07	020	6	10	Sct	2994	78	73	2	2000	Cu			
08	020	6	10	Sct	2994	81	73	2	2000	Cu			
09	010	6	10	Sct	2994	82	73	2	2000	Cu			
10	010	7	10	Sct	2993	84	75	2	2000	Cu			
11	010	7	10	Sct	2993	86	75	2	2000	Cu			
12	010	7	10	Sct	2993	87	75	2	2000	Cu			
13	010	7	10	Sct	2994	88	75	2	2000	Cu			
14	020	7	10	Sct	2995	87	77	2	2000	Cu			
15	020	7	10	Sct	2996	86	77	2	2000	Cu			
16	015	7	10	Sct	2997	85	75	2	2000	Cu			
17	015	7	10	Sct	2996	84	75	2	2000	Cu			
18	015	7	10	Sct	2996	83	75	2	2000	Cu			
19	020	7	10	Sct	2996	82	75	2	2000	Cu			
20	020	7	10	Sct	2995	81	74	2	2000	Cu			
21	020	7	10	Sct	2995	80	74	2	2000	Cu			
22	020	7	10	Sct	2995	80	74	2	2000	Cu			
23	010	7	10	Sct	2994	79	74	2	2000	Cu			
24	010	5	10	Sct	2994	78	74	2	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

220

REMARKS

00-04 Moored starboard side to berth Alfa Three (A-3) U.S. NAVAL STATION, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition Yoke (modified) set. Receiving potable water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, foreign vessels, district and small craft. SOPA is ComCPacFlt.

J. A. Hall
Ltjg USNR

04-08 Moored as before. 0745 mustered the crew on stations. Absentees: None.

J. A. Hall
Ltjg USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 21 (Date) JUNE (Month), 1964

Ø8-12 Moored as before. ~~Ø8ØØ mustered the~~ 11Ø5 made daily inspection of the magazines: conditions: normal. c/2

C. P. McKenzie, Ens, USMR

12-16 Moored as before.

C. P. McKenzie, Ens, USMR

16-2Ø Moored as before. 18ØØ Set condition yoke modified
1815 Mustered the import duty fire party absentees: none.

C. P. McKenzie, Ens, USMR

2Ø-24 Moored as before.

C. P. McKenzie, Ens, USMR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Nason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Alondi (CaSF-96) ZONE DESCRIPTION +10W DATE Monday (Day) 22 (Date) June (Month), 19 64

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	clr	2993	77	74	4	2000	Cu			
02	040	2	10	clr	2994	77	74	4	2000	Cu			
03	040	2	10	clr	2993	77	74	4	2000	Cu			
04	040	2	10	clr	2995	77	74	4	2000	Cu			
05	040	5	10	Sct	2996	77	74	5	2000	Cu			
06	040	4	10	Sct	2997	78	73	5	2000	Cu			
07	040	5	10	Sct	2998	78	73	5	2000	Cu			
08	040	4	10	Sct	2998	80	73	5	2000	Cu			
09	040	4	10	Sct	2998	80	73	5	2000	Cu			
10	040	4	10	Sct	2997	80	72	5	2000	Cu			
11	040	4	10	Sct	2996	80	75	5	2000	Cu			
12	040	2	10	Sct	2995	80	75	5	2000	Cu			
13	040	2	10	Sct	2994	80	74	5	2000	Cu			
14	040	2	10	Sct	2995	80	74	5	2000	Cu			
15	040	2	10	Sct	2996	80	74	5	2000	Cu			
16	040	2	10	Sct	2995	80	74	5	2000	Cu			
17	040	2	10	Sct	2995	80	74	5	2000	Cu			
18	040	2	10	Sct	2994	80	74	5	2000	Cu			
19	040	2	10	Sct	2995	80	74	5	2000	Cu			
20	040	2	10	Sct	2995	80	74	5	2000	Cu			
21	040	2	10	Sct	2994	80	74	5	2000	Cu			
22	040	2	10	Sct	2993	80	74	5	2000	Cu			
23	040	2	10	Sct	2992	78	74	5	2000	Cu			
24	040	2	10	Sct	2992	77	74	5	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

140

REMARKS

00-04 Moored starboard side to in berth Alfa Three (a-3) U. S. Naval Base Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition Yoke modified in set. Receiving water and telephone services from the pier. Ships present include various units of the U S Pacific Fleet, District, and yard craft. Sopa is CinCPacFlt.

C. P. McKenzie, Ens, USNR

04-08 Moored as before 0745 Mustered the crew at quarters. Absentees: none.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 MONDAY (Day) 22 (Date) JUNE (Month) 1964

0800 MOORED AS BEFORE 0830 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL 0840 SET SPECIAL SEA AND ANCHOR DETAIL

L E Horton
LTJG USN

0800 (CONTINUED) 0855 Completed all preparations for getting underway. Captain and Navigator are on the bridge. 0900 Underway in accordance with Berthing Authority from Port Control, steering various courses at various speeds while clearing the berth and going alongside the USS Isle Royale (AD-29). 0920 passed buoy 24 abeam to port. 0923 passed buoy 22 abeam to port. 0937 Moored port side to USS Tombigbee (AOG-11) with standard mooring lines doubled, U.S. Naval Station, Pearl Harbor, Hawaii. Tombigbee moored to USS Isle Royal (AD-29), Isle Royale moored in berth F-11. 0946 secured special sea and anchor detail.

C. P. McKegie, Ens, USNR

0800-12(CONT) MOORED AS BEFORE.

L E Horton
LTJG USN

12-16 MOORED AS BEFORE

L E Horton
LTJG USN

16-20 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

L E Horton
LTJG USN

20-24 MOORED AS BEFORE

L E Horton
LTJG USN

APPROVED: C C Read Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE TUESDAY (Day) 23 (Date) JUNE (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	BKN	2995	79	74	6	2000	St			
02	040	2	10	Sct	2994	79	74	5	2000	St			
03	040	3	10	Sct	2993	79	74	5	2000	St			
04	040	3	10	Sct	2995	80	74	5	2000	Sc			
05	040	3	10	Sct	2995	81	74	5	2000	Sc			
06	040	3	10	Sct	2994	81	74	4	2000	Sc			
07	040	3	10	Sct	2995	81	74	4	2000	Sc			
08	040	3	10	Sct	2995	82	75	4	2000	Sc			
09	040	3	10	Sct	2994	82	75	4	2000	Sc			
10	040	3	10	Sct	2995	83	75	4	2000	Sc			
11	040	3	10	Sct	2994	83	75	4	2000	Sc			
12	040	3	10	Sct	2995	84	75	4	2000	Cu			
13	040	3	10	Sct	2995	84	75	4	2000	Cu			
14	040	2	10	Sct	2995	84	75	4	2000	Cu			
15	040	2	10	Sct	2995	84	74	4	2000	Cu			
16	040	2	10	Sct	2995	84	74	4	2000	Cu			
17	040	2	10	Sct	2994	83	74	4	2000	Cu			
18	040	2	10	Sct	2995	82	74	4	2000	Cu			
19	040	2	10	Sct	2995	81	74	4	2000	Cu			
20	040	2	10	Sct	2995	80	72	4	2000	Cu			
21	040	2	10	Sct	2995	80	71	3	2000	Cu			
22	040	2	10	Sct	2995	79	70	3	2000	Cu			
23	040	2	10	Sct	2995	75	70	4	2000	Cu			
24	030	2	10	Sct	2994	74	70	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORT SIDE TO OUT BOARD USS TOMBIGBEE (AOG-11) IN A NEST OF THREE SHIPS WITH STANDARD MOORING LINES. USS TOMBIGBEE (AOG-11) MOORED OUTBOARD OF USS ISLE ROYAL (AD-29); USS ISLE ROYAL MOORED PORT SIDE TO IN BERTH FOXTROT ONE US NAVAL STATION, FORD ISLAND, PEARL HARBOR HAWAII. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER, ELECTRICAL POWER, STEAM AND TELEPHONE SERVICE FROM THE USS ISLE ROYAL. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINC PAC FLT

F E Horton
LTJG USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS: ABSENTEES NONE.

F E Horton
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 23 (Date) JUNE (Month) 1964

08-12 MOORED AS BEFORE. 0800 PLACED VARIOUS UNITS OF PROPULSION MACHINERY FOR MAINTENANCE. 1130 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL.

J.L. Hollis, CWO-2-USN

12-16 MOORED AS BEFORE.

J.L. Hollis, CWO-2-USN

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE (modified).

J.L. Hollis, CWO-2-USN

20-24 MOORED AS BEFORE.

J.L. Hollis, CWO-2-USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Nasen, Stgr U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE WEDNESDAY (Day) 24 (Date) JUNE (Month), 19 64

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	030	2	10	Sct	2995	73	70	5	2000	Cu			
02	045	3	10	BKN	2993	73	69	7	2000	Cu			
03	020	4	8	Sct	2993	73	70	2	2000	Cu			
04	021	4	8	Sct	2993	73	70	2	2000	St			
05	022	4	10	Sct	2990	73	70	2	2000	Cu			
06	022	3	10	Sct	2987	75	72	2	2000	Cu			
07	022	3	10	Sct	2986	75	74	5	2000	Cu			
08	021	3	9	BKN	2988	78	76	7	2000	Cu			
09	020	4	9	BKN	2989	81	78	7	2000	Cu			
10	020	4	10	BKN	2989	83	79	7	2000	Cu			
11	025	3	10	BKN	2987	84	78	6	2000	Cu			
12	020	2	10	BKN	2985	84	78	6	2000	Cu			
13	020	2	10	Sct	2987	85	74	4	2000	Cu			
14	020	2	10	Sct	2987	87	74	4	2000	Cu			
15	030	3	10	Sct	2985	88	74	4	2000	Cu			
16	030	3	10	Sct	2983	88	74	4	2000	Cu			
17	040	3	10	Sct	2979	85	74	4	2000	Cu			
18	040	3	10	Sct	2978	80	74	5	2000	Cu			
19	040	3	10	Sct	2977	80	73	4	2000	Cu			
20	040	3	10	Sct	2978	79	73	4	2000	Cu			
21	040	3	10	Sct	2980	79	73	4	2000	Cu			
22	040	3	10	Sct	2981	78	73	4	2000	Cu			
23	040	3	10	Sct	2982	78	73	4	2000	Cu			
24	040	3	10	Sct	2983	78	73	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

0.

FUEL CONSUMED 0000-2400

0

REMARKS

00-04 MOORED OUTBOARD IN A NEST OF THREE SHIPS, WITH STD. MOORING LINES DOUBLED. PORT SIDE TO USS. TOMBIGBEE (AOG-11) TOMBIGBEE PORT SIDE TO USS. ISLEROYAL (AD-29) ISLEROYAL PORT SIDE TO BERTH FOXTROT ONE (F-1) U.S. ~~NAVY~~ NAVAL STATION, FORD ISLAND, PEARL HARBOR, HAWAII. MATERIAL CONDITION YOKE (modified) SET, RECEIVING POTABLE WATER, ELECTRICAL POWER AND TELEPHONE SERVICE FROM ISLEROYAL. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, DISTRICT & SMALL CRAFT. SOPA IS COMCPAC.

J. D. Wallis, CWO2-USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW ON STATIONS. ABSENTEES. NONE. YTB-762 Made up to STBD. Aft. 0737 Set THE SEA AND ANCHOR DETAIL, making PREPERATIONS TO GET UNDERWAY (COLD IRON.) 0739 YTM 142 Made up to STBD. BOW. HARBOR PILOT CROSSED TO USS TOMBIGBEE (AOG-11). 0740 MADE DAILY INSPECTION

APPROVED:

C. C. Reed Lt. U. S. N. COMMANDING

EXAMINED:

R. S. Mason, Stgj. U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 24 (Date) JUNE (Month), 19 64

0H-08 (Cont) OF MAGAGINES. CONDITIONS; NORMAL. 0742 ALL SERVICE LINES BROKEN.

J.A. Hall, CWO2 - USN

08-12 MOORED AS BEFORE. 0800 UNDERWAY WITH TOMBIGBEE MADE UP TO PORT. (DEAD PLANT) SHIFTING NEST ALONGSIDE ISLE ROYAL, IN ACCORDANCE WITH ISLE ROYAL NSG-24 1955. CAPTAIN AND NAVIGATOR ABSENT, CDO and OOD ON THE BRIDGE. 0904 MOORED OUT BOARD IN A NEST OF FOUR (4) SHIPS, PORT SIDE TO TOMBIGBEE, TOMBIGBEE PORTSIDE TO USS. TAYLOR (DD-468) TAYLOR PORTSIDE TO ISLE ROYAL, AT FOXTROT One (F-1) BERTH FORD ISLAND, NAVAL STATION, PEARL HARBOR, HAWAII. COMMENCED CONNECTING TENDER SERVICE LINES. 0910 CAST OFF YTM-762, 0913 ~~CAST OFF~~ PILOT LEFT THE SHIP. CAST OFF YTM-142)

J.A. Hall, CWO2 USN.

08-12 (Con't) Moored as before.

J. A. Hall
Ltjg USNR

12-16 Moored as before. 1203 Received YC-1397 alongside to starboard to off-load port anchor chain. 1405 YC-1397 taken under tow from alongside to starboard.

J. A. Hall
Ltjg USNR

16-20 Moored as before. 1800 Set Material Condition Yoke (Modified)

J. A. Hall
Ltjg USNR

20-24 Moored as before.

J. A. Hall
Ltjg USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Ltjj U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS AGNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Thursday (Day) 25 (Date) June (Month), 1964

AT/~~PASSAGE~~ ~~FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	030	2	8	Sct	2989	76	75	5	1500	Cu			
02	045	1	10	OVC	2991	78	75	10	1500	Cu			
03	045	1	10	OVC	2991	78	75	10	1500	Cu			
04	040	2	10	Sct	2989	80	78	4	2000	Cu			
05	040	2	10	Sct	2989	80	78	4	2000	Cu			
06	040	2	10	Sct	2990	80	76	5	2000	Cu			
07	040	2	10	Sct	2992	80	74	5	2000	Cu			
08	040	2	10	Sct	2994	81	73	5	2000	Cu			
09	040	1	10	Sct	2995	83	75	5	2000	Cu			
10	040	1	10	Sct	2996	84	77	5	2000	Cu			
11	040	1	10	Sct	2993	85	77	5	2000	Cu			
12	040	3	10	Sct	2994	85	77	5	2000	Cu			
13	040	3	10	Sct	2994	86	77	5	2000	Cu			
14	040	4	10	Sct	2992	86	77	5	2000	Cu			
15	040	4	10	BKN	2992	86	75	7	2000	Cu			
16	040	4	10	BKN	2992	83	74	7	2000	Cu			
17	040	4	10	BKN	2992	80	74	7	2000	Cu			
18	040	4	10	BKN	2991	79	74	8	2000	Cu			
19	040	5	10	BKN	2992	79	74	8	2000	Cu			
20	040	5	10	BKN	2991	78	74	8	2000	Cu			
21	040	4	10	BKN	2991	78	74	8	2000	Cu			
22	040	4	10	BKN	2993	78	74	9	2000	Cu			
23	040	3	10	BKN	2995	78	74	9	2000	Cu			
24	040	3	10	OVC	2996	79	74	10	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored port side to (USS) Tombigbee (AOG-11) with standard mooring lines in A-rest of four ships at berth Foxtrot one (F-1) U.S. Naval Station, Ford Island, Pearl Harbor, Hawaii. Ships inboard out are: (USS) Isle Royale (AD-29), (USS) Tawakan (DD-468), (USS) Tombigbee (AOG-11), (USS) AGNAKI (ATF-96). Material Condition Yoke (modified) is set. Receiving miscellaneous services from the (USS) Isle Royale (AD-29). Ships present include various units of the U.S. Pacific Fleet, foreign and district craft. SOFA is CINCPACFLT.

J. A. Hall
Ltjg USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: none.

J. A. Hall, Ltjg, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: E S Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Thursday (Day) 25 (Date) June (Month), 19 64

08-12 Moored as before 0840 Made daily inspection of the Magazines. Conditions: normal.

C. P. McKenzie, Ens, USNR

12-16 Moored as before.

C. P. McKenzie, Ens, USNR

16-20 Moored as before 1800 Set Condition yoke modified.

C. P. McKenzie, Ens, USNR

20-24 Moored as before.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE FRIDAY (Day) 26 (Date) JUNE (Month), 1964

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	BRW	2996	79	74	9	2000	Cu			
02	040	3	10	BRW	2996	78	74	9	2000	Cu			
03	040	4	10	BRW	2997	78	74	9	2000	Cu			
04	040	5	10	BRW	2997	80	74	6	2000	Cu			
05	040	5	10	SLT	2998	80	74	5	2000	Cu			
06	040	5	10	SLT	2998	80	75	5	2000	Cu			
07	040	5	10	SLT	2999	80	75	3	2000	Cu			
08	040	5	10	SLT	2999	80	75	2	2000	Cu			
09	040	5	10	SLT	2999	80	75	2	2000	Cu			
10	040	5	10	SLT	2998	80	75	2	2000	Cu			
11	040	5	10	SLT	2998	82	77	2	2000	Cu			
12	040	7	10	SLT	2998	82	77	3	2000	Cu			
13	040	7	10	SLT	2997	83	77	3	2000	Cu			
14	040	7	10	SLT	2997	85	77	4	2000	Cu			
15	040	7	10	SLT	2997	88	77	5	2000	Cu			
16	040	7	10	SLT	2996	88	77	5	2000	Cu			
17	040	4	10	SLT	2996	87	77	5	2000	Cu			
18	040	4	10	SLT	2996	85	77	5	2000	Cu			
19	040	4	10	SLT	2995	81	76	5	2000	Cu			
20	040	4	10	SLT	2995	80	76	5	2000	Cu			
21	040	4	10	BRW	2994	80	76	6	2000	Cu			
22	040	4	10	BRW	2993	79	74	7	2000	Cu			
23	040	4	10	BRW	2990	79	74	7	2000	Cu			
24	040	4	10	BRW	2987	79	74	7	2000	Cu			

POSITION	ZONE	TIME
0800 L ____ BY ____		
λ ____ BY ____		
1200 L ____ BY ____		
λ ____ BY ____		
2000 L ____ BY ____		
λ ____ BY ____		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored port side to USS Tombigbee (AOG-11) with standard mooring lines doubled in a nest of four ships. USS ~~O'Bannon~~ Taylor (OD-468) moored inboard Tombigbee to port. USS Isle Royale (AD29) moored inboard ~~O'Bannon~~ Taylor to port Isle Royale moored port side to berth Foxtrot One US Naval base Pearl Harbor, Hawaii. Receiving steam, water and electrical service from the tender. Condition Yoke modified is set. Ships present include various units of the US Pacific Fleet, Republic of Korea, ~~and~~ France, and district and yard craft. SOPA is Cincpacflt.

C. P. McKenzie, Ens, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: none.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Nason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 26 (Date) JUNE (Month), 1964

0800-1200 MOORED AS BEFORE 0800 COMMENCED COMMANDING OFFICERS PERSONNEL INSPECTION 0820 SECURED FROM COMMANDING OFFICERS PERSONNEL INSPECTION. 0916 MADE DAILY INSPECTION OF MAGAZINES AND CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM: CONDITIONS NORMAL AND TEST SATISFACTORY.

J E Horton
LTJG USN

1200-1600 MOORED AS BEFORE.

J E Horton
LTJG USN

1600-2000 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

J E Horton
LTJG USN

2000-2400 MOORED AS BEFORE.

J E Horton
LTJG USN.

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R S Nasen, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION T10 DATE SATURDAY 27 JUNE, 1964
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	4	10	BKN	2997	79	74	8	2000	Cu			
02	080	4	10	OVC	2996	79	74	10	2000	Cu			
03	090	8	10	OVC	2995	79	75	10	2000	Cu			
04	090	6	10	BKN	2998	80	76	8	2000	Cu			
05	090	6	10	BKN	2998	80	76	8	2000	Cu			
06	090	5	10	BKN	2998	80	76	8	2000	Cu			
07	090	5	10	BKN	2995	80	76	8	2000	Cu			
08	090	5	10	BKN	2998	79	77	8	2000	Cu			
09	090	4	10	BKN	2998	79	76	8	2000	Cu			
10	090	3	10	BKN	2998	80	75	8	2000	ST			
11	090	3	10	BKN	2998	80	75	8	2000	ST			
12	100	1	10	BKN	2999	84	75	8	2000	ST			
13	100	1	10	BKN	2999	86	76	8	2000	ST			
14	100	1	10	BKN	2996	90	78	8	2000	ST			
15	045	2	10	BKN	2996	90	78	8	2000	ST			
16	040	5	10	BKN	2994	85	78	8	2000	ST			
17	040	4	10	BKN	2994	85	78	9	2000	ST			
18	040	4	10	OVC	2994	83	76	10	2000	ST			
19	040	4	10	OVC	2994	83	76	10	2000	ST			
20	040	4	10	OVC	2993	81	76	10	2000	ST			
21	040	5	10	OVC	2995	80	76	10	2000	ST			
22	040	6	10	OVC	2996	79	76	10	2000	ST			
23	040	6	9	OVC	2998	79	76	10	2000	ST			
24	040	3	9	OVC	2996	79	75	10	2000	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORT SIDE TO IN A NEST OF FOUR SHIPS WITH STANDARD MOORING LINES DOUBLED. TO USS TOMBIGBEE (AOG-11) MOORED OUTBOARD OF USS ~~O'BANNON~~ TAYLOR (DD 468) MOORED OUT BOARD OF USS ISLE ROYAL (AD-29) MOORED IN BERTH FOXTROT ONE, FORD ISLAND, US NAVAL STATION, PEARL HARBOR, HAWAII. MODIFIED MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. RECEIVING FRESH WATER, ELECTRICIAL POWER, STEAM, AND TELEPHONE SERVICE FROM THE USS ISLE ROYAL. SOPA CINC PAC FLT

JEN

J E Horton
LTJG USN

04-08 MOORED AS BEFORE 0745 MUSTERED CREW ON STATIONS. ABSENTEES NONE

J E Horton
LTJG USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R S Mason Jr Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 27 (Date) June (Month), 19 64

08-12 MOORED AS BEFORE. 1012 MADE DAILY INSPECTION OF MAGAZINES. CONDITION: NORMAL.

Jul. Hollis, CWO-2-USN

12-16 MOORED AS BEFORE.

Jul. Hollis, CWO-2-USN

16-20- MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE-(modified).

Jul. Hollis, CWO-2, USN

20-24 MOORED AS BEFORE.

Jul Hollis, CWO2-USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Mason, Stgr U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE SUNDAY (Day) 28 (Date) June (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	045	4	9	OVC	2996	79	76	10	2000	ST			
02	045	4	9	OVC	2995	79	76	10	2000	ST			
03	045	3	9	BRW	2994	79	76	8	2000	SCT			
04	045	2	9	BRW	2992	79	76	8	2000	Cu			
05	045	2	10	BRW	2992	79	76	8	2000	Cu			
06	045	2	10	BRW	2992	79	76	8	2000	Cu			
07	045	2	10	BRW	2992	79	76	8	2000	Cu			
08	045	4	10	BRW	2992	80	76	8	2000	Cu			
09	045	4	10	BRW	2993	80	77	6	2000	Cu			
10	045	4	10	BRW	2993	82	78	5	2000	Cu			
11	045	4	10	SCT	2993	82	78	4	2000	Cu			
12	045	5	10	SCT	2993	83	78	3	2000	Cu			
13	045	5	10	SCT	2993	83	78	3	2000	Cu			
14	045	5	10	SCT	2993	80	76	3	2000	Cu			
15	045	5	10	SCT	2993	80	76	3	2000	Cu			
16	045	5	10	SCT	2993	81	76	3	2000	Cu			
17	045	4	10	SCT	2993	81	76	3	2000	Cu			
18	045	4	10	SCT	2993	81	76	3	2000	Cu			
19	045	4	10	SCT	2993	81	75	3	2000	Cu			
20	045	5	10	SCT	2993	80	75	3	2000	Cu			
21	045	5	10	SCT	2994	79	74	4	2000	ST			
22	045	5	10	SCT	2994	79	74	5	2000	ST			
23	045	5	10	SCT	2995	79	74	5	2000	ST			
24	045	5	10	SCT	2996	79	74	5	2000	ST			

POSITION	ZONE	TIME
0800 L ____ BY ____		
λ ____ BY ____		
1200 L ____ BY ____		
λ ____ BY ____		
2000 L ____ BY ____		
λ ____ BY ____		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED PORT SIDE TO USS TOMBIGBEE (AOG-11) IN A NEST OF FOUR (4) SHIPS. WITH STD. MOORING LINES DOUBLED. TOMBIGBEE PORTSIDE TO USS. TAYLOR (DD-468), TAYLOR PORT SIDE TO USS. ISLE ROYAL (AD-29), ISLE ROYAL PORT SIDE TO BERTH FOXTROT (F-1) ONE, FORD ISLAND, U.S. NAVAL STATION, PEARL HARBOR, HAWAII. MATERIAL CONDITION YOKE (modified) SET. RECEIVING Electrical power, STEAM, POTABLE WATER AND TELEPHONE SERVICE FROM THE ISLE ROYAL. SHIPS PRESENT include various units OF THE U.S. PACIFIC FLEET, VARIOUS ALLIED NATION MEN OF WAR DISTRICT AND SMALL CRAFT. SOPA IS CinC PAC FLT.

J.C. Hollis, CWO2, USN

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS. ABSENTEES. None

J.C. Hollis, CWO2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.S. Mason, Stgr U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 28 (Date) June (Month) 19 64

08-12 Moored as before. 0835 Made daily inspection of magazines. Conditions: Normal.

J. A. Hall
Ltjg USNR

12-16 Moored as before

J. A. Hall
Ltjg USNR

16-20 Moored as before. 1300 Set material condition Yoke (modified).

J. A. Hall
Ltjg USNR

20-24 Moored as before

J. A. Hall
Ltjg USNR

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

P S Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH ☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE Monday (Day) 29 (Date) June (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	9	SCT	2992	77	72	4	2000	ST			
02	040	2	9	SCT	2992	77	72	4	2000	ST			
03	040	2	9	SCT	2992	77	72	4	2000	ST			
04	040	2	9	SCT	2993	77	72	4	2000	ST			
05	045	2	10	SCT	2994	77	72	4	2000	Cu			
06	045	2	10	SCT	2995	79	74	4	2000	Cu			
07	045	2	10	SCT	2995	79	74	4	2000	Cu			
08	045	3	10	SCT	2996	80	74	5	2000	Cu			
09	050	3	10	SCT	2996	83	74	5	2000	Cu			
10	045	3	10	SCT	2996	82	75	5	2000	Cu			
11	045	3	10	SCT	2996	82	75	5	2000	Cu			
12	045	3	10	SCT	2996	82	76	5	2000	Cu			
13	045	3	10	SCT	2994	85	77	5	2000	Cu			
14	045	3	10	SCT	2992	88	78	5	2000	Cu			
15	045	3	10	SCT	2992	91	79	5	2000	Cu			
16	045	3	10	BKN	2991	91	85	6	2000	Cu			
17	045	4	10	BKN	2992	86	80	6	2000	Cu			
18	045	6	10	BKN	2993	80	76	6	2000	Cu			
19	045	6	8	BKN	2994	77	72	6	2000	Cu			
20	045	6	8	BKN	2994	77	72	7	2000	Cu			
21	045	6	9	BKN	2995	77	72	7	2000	Cu			
22	045	6	9	BKN	2997	77	71	7	2000	Cu			
23	045	6	9	BKN	2996	76	71	6	2000	Cu			
24	045	6	9	BKN	2995	76	72	6	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 2

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored port side to (USS) Tombigbee (AOG-11) with standard mooring lines in a nest of four ships at berth Fox Pier One (F-1) US Naval Station, Ford Island, Pearl Harbor, Hawaii. Ships inboard out are: USS Isle Royale (AD-29), USS Taylor (DD-468), USS Tombigbee (AOG-11), USS ABNAKI (ATF-96). JAH
Material Condition Yoke (modified) is set. Receiving miscellaneous services from the USS Isle Royale (AD-29) Ships present include various units of the US Pacific Fleet, foreign and district craft. SOPA is COMCRUDESPAC FLT.

J A Hall
Ltjg USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: Peterson, E.E., 329-46-43, ENC, USN, UA since 0730 this date. JAH

J A Hall, Ltjg, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 29 (Date) June (Month), 1964

08-12 Moored as before. 0954 Made daily inspection of the magazines.
Conditions: Normal.

C. P. McKenzie, Ens, USNR

12-16 Moored as before.

C. P. McKenzie, Ens, USNR

16-20 Moored as before. 1643 Set the sectional sea detail 1728 YTM 496
Alongside to starboard 1806 YTM 195 alongside to starboard.
1810 Completed all preparations for getting underway. Captain and Navigator
are on the bridge. Pilot A. Taylor has the conn and is on the bridge
of the USS Tombigbee who is moored to port. 1816 Underway ^deadplant^ while
moored to the Tombigbee, in accordance with verbal orders of the
Isle Royale Operations Officer, steering various courses at various
speeds while laying to in the harbor in order to let the USS O'Bannon
(DD-450) enter the berth, and to ~~moor~~ moor back in Foxtrot One. 1844 [illegible]
Moored port side to in a nest of five ships from outboard ~~inboard~~ to
inboard the ships are USS Abnaki (ATF-96), USS Tombigbee
(AOG-11), USS O'Bannon (DD-450), USS Taylor ~~468~~ (DD-
468), and USS Isle Royale (AD-29). 1849 Pilot A. Taylor
came on board and was given the conn. 1853 Underway deadplant
in compliance with verbal orders from Isle Royale ~~Operations~~
~~Officer~~. 1855 Commenced steering various courses at various speeds
while clearing the berth, stand into the stream, turn around and
~~to moor starboa~~ re-moor starboard side to in berth
Foxtrot-One. 1858 YTM-195 cast lose. 1905 YTM-195
is alongside to port. 1912 YTM 496 cast lose 1914 YTM
496 alongside to port. 1920 Moored starboard side to in berth
Foxtrot-One with standard mooring lines doubled in a nest of
five ships. Alongside to starboard is USS Tombigbee (AOG-11).
Tombigbee moored port side to USS O'Bannon (DD-450).
O'Bannon moored port side to USS Taylor (DD-468) Taylor
moored port side to USS Isle Royale (AD-29). Isle Royale
moored ~~moored~~ port side to ~~[illegible]~~ Berth Foxtrot One (F-1) US
Naval Base, Ford Island, Pearl ~~Hall~~ Harbor, Hawaii. Receiving
fresh water, electrical, and telephone services from the pier. Ships
present include various units of the US Pacific Fleet, ROK ~~ships~~ and
France, and District and Yard craft. SOPA is ComPacFlt.

C. P. McKenzie, Ens, USNR

20-24 Moored as before.

C. P. McKenzie, Ens, USNR

APPROVED: C. C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R. S. [illegible], Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Tuesday (Day) 30 (Date) June (Month), 1964

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT[1]	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	045	6	08	BR	2994	76	71	6	2000	St			
02	050	8	08	BR	2994	76	72	7	2000	St			
03	030	2	08	BR	2993	76	71	5	2000	Cu			
04	030	4	08	BR	2994	75	71	5	2000	Cu			
05	030	4	08	BRS	2994	75	71	8	2000	St			
06	030	5	08	R	2994	75	71	8	2000	St			
07	030	5	08	R	2994	75	71	8	2000	St			
08	030	6	08	R	2994	75	71	8	2000	St			
09	030	6	08	BR	3000	78	74	8	2000	St			
10	030	6	10	BR	3000	79	75	8	2000	Cu			
11	030	5	10	BR	3000	79	76	8	2000	Cu			
12	030	5	10	BR	3000	79	76	8	2000	Cu			
13	030	5	10	BR	3000	80	77	8	2000	Cu			
14	030	6	10	BR	2998	85	74	6	2000	Cu			
15	030	4	10	BR	2998	85	74	6	2000	Cu			
16	030	4	9	BR	2998	88	75	6	2000	Cu			
17	080	4	9	BR	2994	87	75	6	2000	Cu			
18	080	4	9	BR	2994	81	73	6	2000	Cu			
19	080	4	9	BR	2995	78	72	7	2000	Cu			
20	030	4	9	BR	2996	78	71	7	2000	Cu			
21	030	4	9	BR	2997	78	71	7	2000	Cu			
22	030	5	9	BR	2999	78	71	7	2000	Cu			
23	030	3	9	BR	3000	77	71	6	2000	Cu			
24	030	3	9	BR	2996	76	71	6	2000	Cu			
			9										

POSITION	ZONE	TIME
0800 L. ___ BY ___		
λ ___ BY ___		
1200 L. ___ BY ___		
λ ___ BY ___		
2000 L. ___ BY ___		
λ ___ BY ___		

LEGEND: 1—CELESTIAL 2—ELECTRONIC 3—VISUAL 4—D. R.

CURRENT DATA

FROM ___ (ZT) ___ (Date)

TO ___ (ZT) ___ (Date)

SET ___

DRIFT ___

POSITION BETWEEN FIXES

MID. L ___

MID. λ ___

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboardside to USS Tombigbee (AOG-11) with standard mooring lines doubled in a nest of five ships at berth Foxtrot One (F-1) US Naval Station, Ford Island, Pearl Harbor, Hawaii. Tombigbee moored port side to USS O'Bannon ~~(DD-460)~~ (DD-450). O'Bannon moored port side to USS Taylor (DD-468). Taylor moored port side to USS Isle Royale (AD-29). Isle Royal moored in Foxtrot One. Material Condition Yoke modified is set. Receiving electrical, steam and telephone services from the pier. Ships present include various units of the US Pacific Fleet, District and Yard Craft. Sopa is Cincpacflt. 0035 Petersen, E N, 329-46-83, CA, USN returned on board having been UA since 0745 22 June 1964.

C. P. McKenzie, Ens, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: none.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Nason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 30 (Date) JUNE (Month) 19 64

0800-1200 MOORED AS BEFORE. 1020 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

J E Horton
LTJG USN

1200-1600 MOORED AS BEFORE

J E Horton
LTJG USN

1600-2000 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL CONDITION YOKE

J E Horton
LTJG USN

2000-2400 MOORED AS BEFORE

J E Horton
LTJG USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R S Mason, Jr. Lt. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR